

インチサイズ早見表

リム径	タイヤサイズ	荷重指数	速度記号	タイプ	Front /Rear	パターン	頁	
オンロード								
15	130/90-15	66	P	WT	Rear	NR31	15	
						NR67	15	
						WF-910	16	
	140/80-15	67	H	WT	Rear	GS18	35	
						RS-310	14	
	140/90-15	70	H	WT	Rear	WF-910	16	
	150/80-15	70	P	WT	Rear	GS-21	15	
	150/80-15	70	H	TL	Rear	WF-920	16	
	150/90-15	74	H	TL	Rear	RS-310	14	
						WF-920	16	
						GS-23	15	
	170/80-15	77	H	WT	Rear	GS-23	15	
						WF-920	16	
						TL	Rear	GS-23
	WF-920	16						
16	100/90-16	54	H	TL	Front	RS-310	14	
	120/90-16	63	H	TL	Rear	RS-310	14	
	130/90-16	67	H	WT	Front	GS-23	15	
					TL	Front	GS-23	15
					Rear	RS-310	14	
	73	H	TL	Front	WF-920HD	16		
					Rear	WF-920HD	16	
	140/90-16	71	H	WT	Rear	WF-920	16	
150/80-16	71	H	TL	Rear	WF-920HD	16		
17	90/90-17	49	P	WT	Front	NF53	15	
	100/80-17	52	H	TL	Front	RX-02	10	
	110/70-17	54	S	WT	Front	RX-01	10	
					H	TL	Front	RX-03 SPECR
	Front	RX-02	10					
		110/70R17	54	H	TL	Front	RMC810	06
	110/80-17	57	H	TL	Front	RX-02	10	
	110/90-17	60	S	WT	Rear	GS-19	12	
					H	TL	Rear	RS-310
	110/60ZR17	(55W)	TL	Front	RMC810	06		
	120/70-17	58	H	TL	Front	RX-03 SPECR	08	
					RX-02	10		
	120/70ZR17	(58W)	TL	Front	RMC810	06		
	120/80-17	61	H	TL	Rear	RX-02	10	
					Front	WF-920	16	
	120/90-17	64	H	TL	Front	WF-920	16	
	130/70-17	62	S	WT	Rear	RX-01	10	
					H	TL	Rear	RX-03 SPECR
	130/80-17	65	S	WT	Rear	RX-02	10	
						GS-19	12	
GP-210						18		
H	TL	Rear	RX-02	10				
			130/90-17	68	H	TL	Rear	RS-310
140/70-17	66	H	TL	Rear	RX-03 SPECR	08		
					RX-02	10		
140/70R17	66	H	TL	Rear	RMC810	06		
150/70-17	69	H	TL	Rear	RX-03 SPECR	08		
					RX-02	10		
150/70R17	69	H	TL	Rear	RMC810	06		
160/60ZR17	(69W)	TL	Rear	RMC810	06			
180/55ZR17	(73W)	TL	Rear	RMC810	06			
190/50ZR17	(73W)	TL	Rear	RMC810	06			
18	100/90-18	56	S	WT	Front	GS-19	12	
					H	TL	Front	RS-310
	110/80-18	58	H	TL	Rear	RS-310	14	
						GS-19	12	
	110/90-18	61	S	WT	Rear	RS-310	14	
						RS-310	14	
						H	TL	Rear
	Front	RS-310	14					
		120/80-18	62	H	TL	Rear	RS-310	14
	120/90-18	65	H	TL	Rear	RS-310	14	
					WT	Front	WF-920	16
130/80-18	66	H	WT	Rear	GS-19	12		
				TL	Rear	RS-310	14	
17	140/70-18	67	H	TL	Rear	RX-02	10	

リム径	タイヤサイズ	荷重指数	速度記号	タイプ	Front /Rear	パターン	頁		
15	150/70-18	70	H	TL	Rear	RX-02	10		
	3.00-18	47	S	WT	Front	GS-11	12		
					P	WT	Front	WF-910	16
					WT	Rear	GS-11	12	
	3.50-18	4PR		WT	Rear	GS-11	12		
	4.00-18	4PR		WT	Rear	GS-11	12		
	80/100-18	47	P	WT	Front	NF27	15		
	18	90/100-18	54	S	WT	Front	GS-19	12	
						P	WT	Front	GS-21
		90/90-18	51	S	WT	Front	GS-19	12	
Rear						RS-310	14		
H						TL	Front	RS-310	14
19	100/90-19	57	S	WT	Front	RS-310	14		
					Rear	GP-210	18		
					H	WT	Front	GS-18	35
					GS-19	12			
	H	TL	Front	RS-310	14				
				WF-920	16				
	3.25H19	54	H	WT	Front	GS-11	12		
	3.50H19	57	H	WT	Front	GS-11	12		
21	80/90-21	48	H	WT	Front	WF-920	16		

オン&オフロード

16	120/90-16	63	P	WT	Rear	GP-210	18				
	90/100-16	51	P	WT	Rear	GP-22	20				
17	3.00-17	4PR		WT	Rear	GP-1	20				
					Rear	GP-1	20				
	4.60-17	4PR		WT	Rear	GP-110	18				
18	130/80-17	65	S	WT	Rear	GP-210	18				
					Rear	GP-210	18				
					Rear	GP-210	18				
					Rear	GP-22	20				
					Rear	GP-22	20				
					Rear	BR-99	21				
	120/90-18	65	R	WT	Rear	BR-99	21				
					Rear	BR-99	21				
	3.00-18	4PR		WT	Rear	GP-1	20				
					4.00-18	64	P	TL	Rear	TR-011 ツーリスト	27
									Rear	TR-011	27
									Rear	TR-011	27
					WT	Rear	TR-8	21			
	4.10-18	4PR		WT		Rear	GP-1	20			
Rear					GP-110	18					
59	P	WT	Rear	GP-210	18						
				GP-22	20						
4.50-18	4PR		WT	Rear	TR-8	21					
				4.60-18	4PR		WT	Rear	GP-1	20	
								Rear	GP-110	18	
				63	P	WT	Rear	GP-210	18		
GP-22	20										
19	2.50-19	4PR		WT	Front	GP-1	20				
	70/100-19	42	P	WT	Front	GP-21	20				
	80/100-19	49	P	WT	Front	GP-210	18				
	100/90-19	57	S	WT	Front	GP-210	18				
21	2.50-21	4PR		WT	Front	GP-1	20				
					Front	GP-1	20				
	2.75-21	4PR		WT	Front	GP-110	18				
					Front	GP-21	20				
					Front	GP-210	18				
	45	P	WT	Front	TR-011 ツーリスト	27					
					TR-011	27					
	3.00-21	4PR		WT	Front	TR-011	27				
					Front	GP-1	20				
					Front	GP-110	18				
Front					GP-21	20					
51	P	WT	Front	GP-210	18						
				TR-8	21						
4PR		WT	Front	TR-8	21						
21	90/90-21	54	R	WT	Front	BR-99	21				

インチサイズ早見表

リム径	タイヤサイズ	荷重指数	速度記号	タイプ	Front/Rear	パターン	頁
10	2.50-10	33	J	WT	Front/Rear	IX-07S	25
	80/100-10	46	M	WT	Front/Rear	IX-KIDS	26
12	3.00-12	4 PR		WT	Rear	45F	26
14	2.50-14	4 PR		WT	Front	45F	26
	3.60-14	4 PR		WT	Rear	45Z1	26
	90/100-14	49	M	WT	Rear	IX-07S	25
16	2.50-16	4PR		WT	Front	45Z1	26
	90/100-16	52	M	WT	Rear	IX-05H	25
					Rear	IX-09W	24
17	70/100-17	40	M	WT	Front	IX-05H	25
					Front	IX-07S	25
					Front	IX-09W	24
18	100/100-18	59	M	WT	Rear	IX-05H	25
					Rear	IX-07S	25
					Rear	IX-09W	24
					Rear	VE-40	23
	110/100-18	64	H	WT	Rear	IX-05H	25
					Rear	IX-07S	25
		64	M	WT	Rear	IX-09W	24
					Rear	IX-09W GEKKOTA	23
					Rear	VE-33	23
					Rear	VE-33s GEKKOTA	23
					Rear	VE-37	23
Rear	VE-40 BJ-COMP	23					
19	100/90-19	57	M	WT	Rear	IX-05H	25
					Rear	IX-07S	25
					Rear	IX-09W	24
					Rear	VE-33	25
					Rear	VE-40	23
	110/80-19	59	M	WT	Rear	IX-09W	24
	110/90-19	62	M	WT	Rear	IX-05H	25
					Rear	IX-07S	25
					Rear	IX-09W	24
					Rear	VE-33	23
	120/80-19	42	M	WT	Rear	IX-09W	24
					Front	IX-05H	25
	70/100-19	42	M	WT	Front	IX-09W	24
21	80/100-21	51	M	WT	Front	IX-05H	25
					Front	IX-07S	25
					Front	IX-09W	24
					Front	VE-32	23
					Front	VE-35	23
					Front	VE-39	23
					Front	IX-09W GEKKOTA	23
	90/100-21	57	M	WT	Front	IX-09W	24

オフロード

リム径	タイヤサイズ	荷重指数	速度記号	タイプ	Front/Rear	パターン	頁	
6	130/90-6	53	J	WT	Rear	PZ-35	35	
8	130/70-8	42	L	TL	Rear	PZ-35	35	
10	3.50-10	41	J	WT	Front	PZ-30	35	
	4.00-10	4PR		WT	Front/Rear	TR	32	
	90/100-10	53	J	TL	Front	PZ-30	35	
12	100/100-12	62	J	TL	Front	PZ-30	35	
	400-12	65	J	WT	Front	PZ-30	35	
14	2.50-14	4PR		WT	Front	NF30	34	
					Front	NF1	34	
						Front	NF1	34
						Rear	NR6	34
					Rear	NR35	34	
						TR	32	
	6PR		WT	Rear		NR6	34	
	41	P	TL	Rear	NR6	34		
	70/90-14	34	P	WT	Front	NF64	34	
	70/100-14	37	P	WT	Front	NF30s	34	
					Front	NF65	34	
80/90-14	40	P	TL	Front	NF65	34		
				Rear	NR79	34		
80/100-14	49	P	WT	Rear	NR35	34		
				Front	TR	32		
15	2.50-15	4PR		WT	Front	TR	32	
16	3.00-16	4PR		WT	Front	NF6	34	
					Rear	NR21	35	
3.50-16	4PR		WT	Rear	NR21	35		
				2.25-17	4PR		WT	Front
Rear	NR6	34						
Rear	NR74	35						
	Front/Rear	TR	32					
4PR		WT	Front					NF6
43	L	WT	Rear	NR6	34			
			Rear	NR6	34			
			Rear	NR6	34			
			Rear	NR74	35			
2.75-17	41	P	WT	Front/Rear	FB3	35		
				Front/Rear	3R	35		
				4PR		WT	Rear	NR21
3.00-17	4PR		WT	Front	NF8	35		
				Rear	NR21	35		
60/100-17	33	P	WT	Front	NF63	34		
				Rear	NR78	34		
70/90-17	38	P	WT	Front	NF63	34		
70/100-17	40	P	WT	Front	NF37	35		
80/90-17	44	P	WT	Rear	NR41	35		
				Rear	NR78	34		
90/80-17	46	P	TL	Front	NF33	35		
100/80-17	52	P	TL	Rear	NR39	35		
18	275-18	4PR		WT	Front	NF20	35	
	300-18	4PR		WT	Rear	NR21	35	
	70/100-18	41	P	WT	Front	2F	35	
Rear					2R	35		

スタンダード

インチサイズ早見表

リム径	タイヤサイズ	荷重指数	速度記号	タイプ	Front/Rear	パターン	頁				
スクーター											
6	3.50-6	2PR		WT	Front/Rear	MB10	32				
8	3.00-8	2PR		WT	Front/Rear	MB38	32				
		4PR		WT	Front/Rear	SP	32				
	3.50-8	2PR		WT	Front/Rear	TG	32				
		4PR		WT	Front/Rear	SP	32				
					WT	Front/Rear	TR	32			
70/100-8	2PR		WT	Front/Rear	MB52	32					
10	100/90-10	56	J	TL	Front	MB47	32				
					Rear	MB48	32				
					Front/Rear	MB-520	31				
							MB90	30			
	110/80-10	58	J	TL	Front	MB47	32				
	110/90-10	51	J	TL	Rear	MB57	32				
	120/90-10	57	J	TL	Front/Rear	MB99	31				
					Rear	SCT-001	28				
	130/90-10	61	J	TL	Front/Rear	MB99	31				
	2.75-10	2PR		WT	Front/Rear	MB38	30				
	3.00-10	2PR		WT	Front/Rear	MB38	30				
						42	J	TL	Front/Rear	GP-110	32
									MB520	31	
									MB90	30	
							MBR-740	33			
	3.50-10	51	J	WT	Rear	3R	35				
					TL	Front/Rear	MB-520	31			
							MB90	30			
							MBR-740	33			
							MBR-740	33			
	80/90-10	35	J	TL	Front/Rear	MB38	30				
					Front/Rear	MB-520	31				
		44	J	TL	Front/Rear	MB90	30				
	80/100-10	46	J	TL	Front/Rear	MB-520	31				
					Front/Rear	MB90	30				
	90/90-10	50	J	TL	Front/Rear	MB-520	31				
						MB65	32				
MB90						30					
MBR-710						32					
						MBR-740	33				
90/100-10	53	J	TL	Rear	MB47	32					
				Front	MB48	32					
12	100/80-12	56	J	TL	Front	MB68	32				
	100/90-12	59	J	TL	Front/Rear	SCT-001	28				
					Front/Rear	MBR-750	33				
					Front	MB48	32				
						MB86	32				
	110/70-12	47	L	TL	Rear	MB68	32				
						SCT-001	28				
	110/90-12	64	L	TL	Front/Rear	SCT-001	28				
	110/100-12	67	J	TL	Front	SCT-001	28				
	120/70-12	51	L	TL	Front/Rear	SCT-001	28				
	130/70-12	62	L	TL	Rear	SCT-001	28				
	140/70-12	65	L	TL	Rear	SCT-001	28				
	120/80-12	55	J	TL	Front/Rear	SCT-001	28				
					Front/Rear	MBR-750	33				
					Front	MB62	32				
	130/80-12	69	J	TL	Rear	MB61	32				
	2.75-12	2PR		WT	Front	MB56	32				
	60/100-12	36	J	WT	Front/Rear	MB-80	35				
	90/90-12	44	J	TL	Front/Rear	MB-520	31				
Front					MB58	32					
13	110/70-13	48	P	TL	Front	SCT-001	28				
	110/90-13	55	P	TL	Front	SCT-001	28				
13	120/70-13	53	P	TL	Front	SCT-001	7				

リム径	タイヤサイズ	荷重指数	速度記号	タイプ	Front/Rear	パターン	頁
	130/70-13	63	P	TL	Rear	SCT-001	7
	140/70-13	61	P	TL	Rear	SCT-001	7
	150/70-13	64	S	TL	Rear	SCT-001	7
14	80/90-14	64	P	TL	Front	SCT-001	7
	90/80-14	43	P	TL	Front	SCT-001	7
	90/90-14	46	P	TL	Front/Rear	SCT-001	7
	100/90-14	51	P	TL	Rear	SCT-001	7
	120/70-14	55	P	TL	Front	SCT-001	7
	120/80-14	58	S	TL	Front	SCT-001	7

スノー

8	130/70-8	42	L	TL	Rear	SN22	38
	3.00-8	2PR	L	WT	Front/Rear	SN1	38
10	110/80-10	58	J	TL	Rear	SN22	38
	110/90-10	51	J	TL	Rear	SN22	38
					Front/Rear	SN1	38
	3.00-10	2PR	J	TL	Front/Rear	SN1	38
					Front/Rear	SN12	38
3.50-10	4PR	J	WT	Front/Rear	SN1	38	
90/100-10	53	J	TL	Front/Rear	SN22	38	
12	100/100-12	62	J	TL	Front	SN22	38
	3.00-12	4PR	J	WT	Front	SN1	38
	90/90-12	44	J	TL	Front	SN22	38
	110/90-12	64	L	TL	Rear	SN26	38
13	130/70-13	63	P	TL	Rear	SN26	38
14	2.75-14	41	P	TL	Front/Rear	SN12	38
					Front/Rear	SN12	38
					Front/Rear	SN12	38
	70/100-14	37	P	WT	Front	SN12	38
					Rear	SN12	38
					Front	SN12	38
80/100-14	49	P	WT	Rear	SN12	38	
90/80-14	49	P	TL	Front	SN26	38	
17	2.25-17	4PR		WT	Front	SN1	38
					Front/Rear	SN12	38
	2.50-17	4PR		WT	Front/Rear	SN1	38
					Front/Rear	SN12	38

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ			構造	IRC推奨パターン	
			FRONT	REAR	FRONT		REAR	
■ HONDA / ON ROAD								
F6C	1800	14～	130/60R19 M/C	61H	180/55R17 M/C	73H	TL	-
VTX	1800	01～	130/70R18 M/C	63H	180/70R16 M/C	77H	TL	-
フルキューレルーン	1800	05～	150/60R18 M/C	67V	180/55R17 M/C	73V	TL	-
GOLD WING GL1800/F6B	1800	13～	130/70R18 M/C	63H	180/60R16 M/C	74H	TL	-
GOLD WING GL1800	1800	02～	130/70R18 M/C	63H	180/60R16 M/C	74H	TL	-
GOLD WING GL1500&SE	1500	00～	130/70-18 M/C	63H	160/80-16 M/C	80H	TL	-
フルキューレノツアラー	1500	96～	150/80R17 M/C	72H	180/70R16 M/C	77H	TL	-
CTX1300	1300	14～	130/70R18 M/C	63V	200/50R17 M/C	75V	TL	-
VT1300CX	1300	10～	90/90-21 M/C	54H	200/50R15 M/C	76H	TL	-
VT1300CR	1300	10～	140/80-17 M/C	69H	170/80-15 M/C	77H	TL	-
VT1300CS	1300	10～	90/90-21 M/C	54H	170/80-15 M/C	77H	TL	-
CB1300 スーパーツアリング/ABS	1300	09～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
CB1300 スーパーフォア / スーパーボルドール	1300	03～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
CB1300 スーパーフォア	1300	98～	130/70ZR17 M/C	(62W)	190/60ZR17 M/C	(78W)	TL	-
STX1300 パンヨーロピアン	1300	02～	120/70ZR18 M/C	(59W)	170/60ZR17 M/C	(72W)	TL	RMC810
X4	1300	97～	120/70ZR18 M/C	(59W)	190/60ZR17 M/C	(78W)	TL	RMC810
VFR1200X	1200	14～	110/80R19 M/C	59V	150/70R17 M/C	69V	TL	-
VFR1200F/DCT	1200	10～	120/70ZR17 M/C	(58W)	190/55ZR17 M/C	(75W)	TL	RMC810
CBR1100RS	1100	14～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
CB1100 TYPE I / II	1100	10～	110/80R18 M/C	58V	140/70R18 M/C	67V	TL	-
CBR1100XX	1100	96～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
X11	1100	00～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
VT1100C SHADOW	1100	87～	110/90-19 M/C	62H	170/80-15 M/C	77H	TL	-
VT1100C2 SHADOW ACE	1000	95～	120/90-18 M/C	65H	170/80-15 M/C	77H	TL	-
CB1000 スーパーフォア (T2)	1000	92～	120/70R18 M/C	59V	170/60R18 M/C	73V	TL	-
CBF1000	1000	07～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810
CBR1000F	1000	93～	120/70R17 M/C	58V	170/60R17 M/C	72V	TL	-
CBR1000RR/SP/SP2	1000	04～	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810
VTR1000F	1000	97～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
VTR1000 SP-1 / SP2	1000	00～	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810
CBR954RR	954	02～	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810
CB900 ホーネット	900	00～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
CBR900RR	900	90～	130/70ZR16 M/C	(61W)	180/55ZR17 M/C	(73W)	TL	RMC810
CBR900RR / ファイアーブレード	900	00～	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810
VFR800X	800	14～	120/70R17 M/C	58V	180/55R17 M/C	73V	TL	RMC810
VFR800F	800	14～	120/70ZR17 M/C	58W	180/55ZR17 M/C	73W	TL	RMC810
VFR/ABS	800	98～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
X-ADV	700	17～	120/70R17 M/C	58H	160/60R15 M/C	67H	TL	-
NC750S / X / インテグラ	750	14～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810
NR	750	92～	130/70ZR16 M/C	(61W)	180/55ZR17 M/C	(73W)	TL	-
RVF750 / RC45	750	94～	130/70ZR16 M/C	(61W)	190/50ZR17 M/C	(73W)	TL	-
CBR750F スーパーエアロ	750	87～	110/80-17 M/C	57H	140/70-18 M/C	67H	TL	RX-02
CB750	750	01～	120/70ZR17 M/C	(58W)	150/70ZR17 M/C	(69W)	TL	RMC810
CB750	750	92～	120/70R17 M/C	58V	150/70R17 M/C	69V	TL	RMC810
CB750 フォア (KO～K6)	750	69～	3.25-19	(54H)	4.00-18	(64H)	WT	GS-11
VT750S	750	10～	100/90-19 M/C	57H	150/80B16 M/C	71H	WT	WF-920
シャドウファントム 750	750	10～	120/90-17 M/C	64S	160/80-15 M/C	74S	TL	WF-920
シャドウ 750	750	04～	120/90-17 M/C	64S	160/80-15 M/C	74S	TL	WF-920
シャドウ 750	750	97～	120/90-17 M/C	64S	170/80-15 M/C	77S	WT	WF-920(TL)
シャドウスラッシャー 750	750	00～	110/80-19 M/C	59S	160/80-15 M/C	74S	WT	-
ナイトホーク	750	91～	110/80-18 M/C	58H	140/70-17 M/C	66H	TL	-
マグナ	750	93～	120/80-17 M/C	61V	150/80-15 M/C	70V	TL	-
V45 マグナ	750	87～	100/90-19 M/C	57H	150/80-15 M/C	70H	TL	WF-920
VFR750FL	750	90～	120/70R17 M/C	58H	170/60R17 M/C	72H	TL	RMC810
VFR750R (RC30)	750	87～	120/70-17 M/C	58H	170/60R18 M/C	73H	TL	-
VFR750F	750	86～	110/90-16 M/C	59H	130/80-18 M/C	66H	TL	-
NM4-01/02F	745	14～	120/70ZR18 M/C	59W	200/50ZR17 M/C	75W	TL	-
NC700X	700	12～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810
NC700S	700	12～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810
CTX700 / N / インテグラ	669	13～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810
DN-01	680	08～	130/70ZR17 M/C	(62W)	190/50ZR17 M/C	(73W)	TL	-
CBR650F / CB650F	650	14～	120/70ZR17 M/C	58W	180/55ZR17 M/C	73W	TL	RMC810
BROS PRODUCT-1	650	88～	110/80-17 M/C	57H	150/70-17 M/C	69H	TL	RX-02
ホーネット 600	600	98～	130/70ZR16 M/C	(61W)	180/55ZR17 M/C	(73W)	TL	-
ホーネット 600	600	00～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
CBR600F	600	92～	120/60ZR17 M/C	(55W)	160/60ZR17 M/C	(69W)	TL	RMC810
CBR600F / F4i	600	98～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
CBR600RR	600	03～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810
STEED 600	600	88～	100/90-19 M/C	57S	170/80-15 M/C	77S	WT	WF-920
CBR400R / CB400F	400	13～	120/70ZR17 M/C	58W	160/60ZR17 M/C	69W	TL	RMC810

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ				構造	IRC推奨パターン	
			FRONT		REAR			FRONT	REAR
Rebel500	500	17～	130/90-16 M/C	67H	150/80-16 M/C	71H	WT	WF-920HD	WF-920HD
400X	400	13～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
シャドウ400(スペシャル)	400	97～	120/90-17 M/C	64S	170/80-15 M/C	77S	WT	WF-920(TL)	WF-920
シャドウクラシック	400	08～	120/90-17 M/C	64S	160/80-15 M/C	74S	WT	WF-920(TL)	-
シャドウカスタム	400	08～	90/90-21 M/C	54S	160/80-15 M/C	74S	WT	-	-
シャドウスラッシャー	400	00～	110/80-19 M/C	59S	160/80-15 M/C	74S	WT	-	-
BROS PRODUCT-2	400	90～	120/70R17 M/C	58H	150/60R18 M/C	67H	TL	-	-
BROS PRODUCT-2	400	88～	110/80-17 M/C	57H	150/70-17 M/C	69H	TL	RX-02	RX-02
CB400 FOUR	400	97～	110/80-18 M/C	58H	140/70-17 M/C	66H	WT	-	RX-02
VT400S	400	10～	100/90-19 M/C	57H	150/80B16 M/C	71H	WT	WF-920	-
CB400SS	400	01～	100/90-19 M/C	57S	110/90-18 M/C	61S	WT	RS-310/GS-19	RS-310/GS-19
CB400 SUPER FOUR / スーパーボルドール	400	99～	120/60ZR17 M/C	(55W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
CB400 SUPER FOUR / バージョン R / S	400	92～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
CB-1 (Type II)	400	89～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
CB400 フォア、I / II	400	74～	3.00-18	47S	3.50-18	4PR	WT	GS-11	GS-11
CBR400RR	400	90～	120/60R17 M/C	55H	150/60R17 M/C	66H	TL	RMC810	RMC810
CBR400RR	400	88～	120/60R17 M/C	55H	150/60R18 M/C	67H	TL	RMC810	-
CBR400R	400	86～	100/80-17 M/C	52H	130/70-18 M/C	63H	TL	RX-02	-
STEED VLS	400	98～	90/90-21 M/C	54S	170/80-15 M/C	77S	WT	-	WF-920
STEED VSE	400	96～	100/90-19 M/C	57S	170/80-15 M/C	77S	WT/TL	WF-920	WF-920
STEED 400 (VLX・VLC)	400	88～	100/90-19 M/C	57S	170/80-15 M/C	77S	WT	WF-920	WF-920
RVF (400)	400	94～	120/60R17 M/C	55H	150/60R17 M/C	66H	TL	RMC810	RMC810
VFR400R	400	89～	120/60R17 M/C	55H	150/60R18 M/C	67H	TL	RMC810	-
VFR400R ロスマンズ Z / R	400	87～	100/90-16 M/C	54H	130/70-18 M/C	63H	TL	RS-310	-
VRX ロードスター	400	95～	120/80-17 M/C	61S	140/80-17 M/C	69S	WT	-	-
V ツイン マグナ & S	250	94～	120/80-17 M/C	61S	150/80-15 M/C	70S	TL	WF-920	WF-920
CBR250RR	250	17～	110/70R17 M/C	54H	140/70R17 M/C	66H	TL	RMC810	RMC810
CBR250R/ABS/F	250	11～	110/70-17 M/C	54S	140/70-17 M/C	66S	TL	RX-02	RX-02
CBR250R	250	88～	100/80-17 M/C	52H	140/70-17 M/C	66H	TL	RX-02	RX-02
CBR250R / F	250	87～	100/80-17 M/C	52H	130/70-17 M/C	62H	TL	RX-02	RX-02
CB250F	250	14～	110/70-17 M/C	54S	140/70-17 M/C	66S	TL	RX-02	RX-02
GB250 クラブマン	250	88～	90/90-18 M/C	51S	110/90-18 M/C	61S	WT	RS-310/GS-19	RS-310/GS-19
JADE (S)	250	91～	100/80-17 M/C	52S	140/70-17 M/C	66S	TL	RX-02	RX-02
NIGHT HAWK 250	250	92～	90/100-18 M/C	54S	120/90-16 M/C	63S	TL	-	-
NSR250R SE/SP	250	90～	110/70R17 M/C	54H	150/60R17 M/C	66H	TL	RMC810	RMC810
NSR250R	250	89～	110/70R17 M/C	54H	150/60R18 M/C	67H	TL	RMC810	-
NSR250R	250	88～	110/70-17 M/C	54H	140/60R18 M/C	64H	TL	RX-02	-
NSR250R	250	86～	100/80-17 M/C	52H	130/70-18 M/C	63H	TL	RX-02	-
Rebel250	250	17～	130/90-16 M/C	67H	150/80-16 M/C	71H	TL	WF-920HD	WF-920HD
VTR / F	250	14～	110/70R17 M/C	54H	140/60R17 M/C	63H	TL	RMC810	-
VTR	250	05～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
VT250 SPADA	250	88～	100/80-17 M/C	52S	140/70-17 M/C	66S	TL	RX-02	RX-02
VT250F	250	87～	100/90-16 M/C	54S	120/80-17 M/C	61S	TL	RS-310	RX-02
VTR250	250	98～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
VTZ250	250	87～	100/80-17 M/C	52S	120/80-17 M/C	61S	TL	RX-02	RX-02
XELVIS	250	91～	110/80-17 M/C	57S	130/80-17 M/C	65S	TL	RX-02	RX-02
ホーネット	250	95～	130/70ZR16 M/C	(61W)	180/55ZR17 M/C	(73W)	TL	-	RMC810
CB223S	223	08～	110/90-18 M/C	61H	130/80-18 M/C	66H	WT	RS-310(TL)	RS-310(TL)
グロム	125	13～	120/70-12	51L	130/70-12	56L	TL	SCT-001	SCT-001
CBR125R	125	13～	100/80-17 M/C	52P	130/70-17 M/C	62S	TL	RX-02	RX-02
Solo	50	03～	70/100-18 M/C	41L	70/100-18 M/C	41L	WT	2F	2R
ドリーム 50 & SP	50	97～	2.50-18	45L	2.50-18	45L	WT	2F(70/100-18)	2R(70/100-18)
マグナ 50	50	95～	80/100-16 M/C	45L	4.50-12	2PR(61J)	WT	-	-

■ HONDA / OFF ROAD

XL1000V パラデロ	1000	99～	110/80R19 M/C	59H	150/70R17 M/C	69H	TL	-	-
AFRICA TWIN	750	93～	90/90-21 M/C	54H	140/80R17 M/C	69H	WT	-	-
AFRICA TWIN	750	90～	90/90-21 M/C	54S	130/90-17 M/C	68S	WT	-	-
AFRICA TWIN	650	88～	90/90-21 M/C	54S	130/90-17 M/C	68S	WT	-	-
XL650V TRANSALP	650	00～	90/90-21 M/C	54S	120/90-17 M/C	64S	WT	-	-
FMX650	650	05～	120/70R17 M/C	58H	150/60R17 M/C	66H	TL	RMC810	RMC810
トランザルプ 400V	400	91～	90/90-21 M/C	54S	130/80-17 M/C	65S	WT	-	-
CL400	400	98～	90/100-19 M/C	55P	110/90-18 M/C	61P	WT	-	-
XR400 モタード	400	06～	110/70-17 M/C	54H	130/70-17 M/C	66H	WT	RX-02(TL)	RX-02(TL)
CRF250 RALLY	250	17～	3.00-21	51P	120/80-18 M/C	62P	WT	GP-21	GP-22
CRF250L	250	12～	3.00-21	51P	120/80-18 M/C	62P	WT	GP-21	GP-22
CRF250M	250	13～	110/70-17 M/C	54S	130/70-17 M/C	62S	WT	RX-01/RX-02(TL)	RX-01/RX-02(TL)
XR250 モタード	250	04～	110/70-17 M/C	54H	130/70-17 M/C	62H	WT	RX-02(TL)	RX-02(TL)
XR250 / XR250 BAJA	250	95～	3.00-21	51P	4.60-18	63P	WT	GP-21	GP-22
AX-1	250	88～	90/100-19 M/C	55P	120/90-16 M/C	63P	TL	-	-
CRM250R	250	91～	3.00-21	51P	4.60-18	63P	WT	GP-21	GP-22

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ				構造	IRC推奨パターン	
			FRONT		REAR			FRONT	REAR
FTR250	250	86～	100/90-19 M/C	57P	120/90-18 M/C	65P	WT	WF-920	WF-920
FTR223	223	00～	120/90-18 M/C	65P	120/90-18 M/C	65P	WT	WF-920	WF-920
TLR250R	250	86～	2.75-21	4PR	4.00-18	4PR	WT	TR-011 TOURIST	TR-011(TL)TOURIST
XL DEGREE	250	91～	2.75-21	45P	4.60-18	63P	WT	GP-21	GP-22
XLR250 BAJA	250	87～	3.00-21	4PR	4.60-18	4PR	WT	GP-21	GP-22
XLR250R	250	86～	3.00-21	4PR	4.60-18	4PR	WT	GP-21	GP-22
XLR250R	250	85～	3.00-21	4PR	4.60-17	4PR	WT	GP-1	GP-1
XL230	250	02～	90/100-19 M/C	55P	110/90-18 M/C	61P	WT	-	-
XR230	230	06～	2.75-21	45P	120/80-18 M/C	62P	WT	GP-21	GP-22
XR230 モタード	230	08～	110/70-17 M/C	54H	130/70-17 MC	62H	WT	RX-02	RX-02
SL230	230	97～	2.75-21	45P	120/80-18 M/C	62P	WT/TL	GP-21	GP-22
TLM220R	220	90～	2.75-21	4PR	4.00-18	4PR	WT	TR-011 TOURIST	TR-011(TL)TOURIST
XLR200R	200	93～	2.75-21	45P	4.10-18	59P	WT	GP-21	GP-22
XLR125R	125	93～	2.75-21	45P	4.10-18	59P	WT	GP-21	GP-22
NX125	125	88～	2.75-21	4PR	4.10-18	4PR	WT	GP-21	GP-22
クロスカブ	110	13～	2.75-17	41P	2.75-17	41P	WT	FB3/3R	FB3/3R
CRM80	80	88～	70/100-17 M/C	40P	90/90-14 M/C	46P	WT	-	-
CRM50	50	88～	70/100-17 M/C	40P	90/90-14 M/C	46P	WT	-	-

■ HONDA / BUSINESS

CD250U	250	88～	3.00-17	4PR	3.25-17	6PR	WT	-	-
ベンリィ CD125T	125	84～	3.00-17	4PR(45P)	3.00-17	4PR(45P)	WT	NF8	NR21
CB125T	125	98～	3.00-18	47P	3.25-18	52P	TL	-	-
ベンリィ 110/110 プロ	110	12～	90/90-12	44J	110/80-10	58J	WT	MB60	MB47
スーパーカブ 110	110	12～	70/90-17 M/C	38P	80/90-17 M/C	44P	WT	NF63	NR78
スーパーカブ 110	110	09～	2.25-17	33L	2.50-17	43L	WT	NF3	NR6
スーパーカブ 110 プロ	110	09～	70/100-14 M/C	37P	80/100-14 M/C	49P	WT	NF30s	NR35
スーパーカブ 100	100	94～	2.25-17	4PR(33L)	2.50-17	6PR(43L)	WT	NF3	NR6
ベンリィ CD90	90	84～	2.50-17	4PR(38L)	2.50-17	6PR(43L)	WT	NF6	NR6
スーパーカブ 90 デラックス / カスタム	90	86～	2.50-17	4PR(38L)	2.50-17	6PR(43L)	WT	NF6	NR6
スーパーカブ 70 デラックス / カスタム	70	86～	2.25-17	4PR(33L)	2.50-17	6PR(43L)	WT	NF3	NR6
ベンリィ / ベンリィプロ	50	15～	90/90-12	44J	110/80-10	58J	TL	MB60	MB57
ベンリィ / ベンリィプロ	50	12～	90/90-12	44J	110/80-10	58J	TL	MB60	MB47
ベンリィ CD50	50	83～	2.25-17	4PR(33L)	2.50-17	4PR(38L)	WT	NF3	NR6
ベンリィ CL50	50	97～	2.75-17	41P	2.75-17	41P	WT	-	NR21
ベンリィ 50S	50	96～	2.25-17	33L	2.50-17	43L	WT	NF3	NR6
スーパーカブ 50	50	12～	60/100-17 M/C	33P	60/100-17 M/C	33P	WT	NF63	NR78
スーパーカブ 50 スタンダード / ビジネス	50	86～	2.25-17	4PR(33L)	2.25-17	4PR(33L)	WT	NF3	NR6
スーパーカブ 50 デラックス / カスタム	50	86～	2.25-17	4PR(33L)	2.25-17	4PR(33L)	WT	NF3	NR6
プレスカブ 50 デラックス / スタンダード	50	88～	2.25-17	4PR(33L)	2.50-17	4PR(38L)	WT	NF3	NR74
リトルカブ	50	97～	2.50-14	32L	2.75-14	35L	WT	NF30	NR35

■ HONDA / SCOOTER

シルバーウィング 600	600	01～	120/80-14 M/C	58S	150/70-13 M/C	64S	TL	SCT-001	SCT-001
シルバーウィング 400	400	01～	120/80-14 M/C	58S	150/70-13 M/C	64S	TL	SCT-001	SCT-001
フェイス	250	09～	110/90-13 M/C	55P	140/70-13 M/C	61P	TL	SCT-001	SCT-001
フォルツァ Si	248	13～	120/70-14 M/C	55P	140/70-13 M/C	61P	TL	SCT-001	SCT-001
フォルツァ Z	250	07～	110/90-13 M/C	55P	140/70-13 M/C	61P	TL	SCT-001	SCT-001
フォルツァ S / T / ST / Z / X	250	00～	110/90-13 M/C	55P	130/70-12	56L	TL	SCT-001	SCT-001
PS250	250	04～	110/90-12	64L	130-70-12	56L	TL	SCT-001	SCT-001
フォーサイト 250 / SE	250	97～	110/90-12	64J	130/70-12	56L	TL	SCT-001	SCT-001
フュージョン CN250	250	86～	4.00-12	4PR(65L)	120/90-10	65J	TL	-	SCT-001
フリーウェイ 250	250	89～	110/90-10	61J	120/90-10	65J	TL	SCT-001	SCT-001
フリーウェイ 250	250	86～	4.00-10	4PR	4.00-10	4PR	TL	-	-
PCX150	150	12～	90/90-14 M/C	46P	100/90-14 M/C	51P	TL	SCT-001	SCT-001
Sh mode	125	13～	80/90-16 M/C	43P	100/90-14 M/C	51P	TL	-	SCT-001
PCX	125	10～	90/90-14 M/C	46P	100/90-14 M/C	51P	TL	SCT-001	SCT-001
スペースシー 125	125	95～	90/100-10	53J	90/100-10	53J	TL	MB48	MB47
スペースシー 125	125	87～	3.50-10	4PR(51J)	3.50-10	4PR(51J)	TL	MB-520	MB-520
リード 125	125	13～	90/90-12	44J	100/90-10	56J	TL	MB60/MB-520	MB47
ズーマー X	110	13～	100/90-12	59J	110/90-12	64L	TL	MB86	SCT-001
Dio 110	110	11～	80/90-14 M/C	40P	90/90-14 M/C	46P	TL	SCT-001	SCT-001
リード 110	110	08～	90/90-12	44J	100/90-10	56J	TL	MB60/MB-520	MB47/MB-520
スペースシー 100	100	05～	90/90-12	44J	100/90-10	56J	TL	MB60/MB-520	MB47
リード 90 / 100	90/100	88～	100/90-10	56J	100/90-10	56J	TL	MB48	MB47
XR100/50 MOTARD	100/50	06～	120/80-12	65J	120/80-12	65J	TL	-	-
エイプ 50 / 100	50/100	01～	120/80-12	55J	120/80-12	55J	TL	SCT-001	SCT-001
キャビーナ 50 / 90	50/90	94～	100/90-12	59J	110/80-10	58J	TL	MB48	MB47
ブロード 50 / 90	50/90	95～	100/90-12	59J	110/80-10	58J	TL	MB48	MB47
NSR80	80	88～	100/90-12	59J	120/80-12	65J	TL	MBR-750	MBR-750
NSR50	50	95～	100/90-12	59J	120/80-12	65J	TL	MBR-750	MBR-750
Dunk	50	13～	90/90-10	50J	90/90-10	50J	TL	MB90/MB-520	MB90/MB-520

TOURIST
 IT WEIGHT
 SPIRIT
 STANDARD
 エコランカー
 スーパーカー
 TUBE
 IRC GOODS
 インチ単位
 車種適合表
 よくあるトラブル

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ				構造	IRC推奨パターン	
			FRONT		REAR			FRONT	REAR
シャリー 50	50	83～	3.50-10	2PR(41J)	3.50-10	2PR(41J)	TL	MB-520	MB-520
ディオ	50	13～	80/100-10	46J	80/100-10	46J	TL	MB90/MB-520	MB90/MB-520
ディオ	50	88～	3.00-10	4PR	3.00-10	4PR	WT	MB90	MB90
ディオ SR	50	90～	3.00-10	4PR	3.00-10	4PR	TL	MB90	MB90
ディオ/デラックス	50	01～	90/90-10	50J	90/90-10	50J	TL	MB90	MB90
ディオ/スーパーディオ	50	88～	3.00-10	4PR(42J)	3.00-10	4PR(42J)	TL	MB90	MB90
スーパーディオ SR/ZX	50	91～	3.00-10	4PR(42J)	3.00-10	4PR(42J)	TL	MBR-710	MBR-710
ディオフィット	50	97～	80/90-10	44J	80/90-10	44J	TL	MB90	MB90
ライブディオ ZX	50	94～	90/90-10	50J	90/90-10	50J	TL	MBR-710	MBR-710
ライブディオ/ライブディオ SR	50	94～	3.00-10	4PR(42J)	3.00-10	4PR(42J)	TL	MB90	MB90
スマートディオ/Z4/デラックス	50	04～	90/90-10	50J	90/90-10	50J	TL	MB90	MB90
ディオチェスタ	50	04～	80/100-10	46J	80/100-10	46J	TL	MB90/MB-520	MB90/MB-520
トピック(プロ/フレックス)	50	95～	90/90-12	44J	90/90-12	44J	TL	MB60 /MB-520	MB59 /MB-520
DJ-1R/RR	50	87～	80/90-10	34J	80/90-10	34J	WT	MB90	MB90
DJ-1L	50	86～	2.75-10	2PR	2.75-10	2PR	WT	MB38	MB38
DJ-1	50	85～	3.00-8	2PR	3.00-8	2PR	WT	MB38	MB38
G'	50	89～	80/90-10	34J	80/90-10	34J	WT	MB90	MB90
ダックス	50	95～	3.50-10	4PR(51J)	3.50-10	4PR(51J)	WT	MB90	MB90
ゴリラ	50	98～	3.50-8	35J	3.50-8	35J	WT	*TG	*TG
モンキー RT/R	50	88～	3.50-10	2PR	3.50-10	2PR	TL	MB90	MB90
モンキー/モンキー BAJA	50	91～	3.50-8	2PR(35J)	3.50-8	2PR(35J)	WT	TG	TG
ズーマー	50	01～	120/90-10	57J	130/90-10	61J	TL	MB99 DUAL	MB99 DUAL
パル	50	89～	2.75-10	4PR(38J)	2.75-10	4PR(38J)	WT	MB38	MB38
メットイン/パル	50	88～	2.75-10	2PR	2.75-10	2PR	WT	MB38	MB38
パックスクラブ	50	88～	2.75-10	4PR	2.75-10	4PR	WT	MB38	MB38
タクト STAND UP	50	89～	3.00-10	4PR(42J)	3.00-10	4PR(42J)	TL	MB90	MB90
タクト	50	91～	3.00-10	4PR(42J)	3.00-10	4PR(42J)	TL	MB90	MB90
タクト フルマーク	50	87～	3.00-10	4PR	3.00-10	4PR	WT	MB90	MB90
タクト フルマーク S	50	87～	80/90-10	34J	80/90-10	34J	WT	MB90	MB90
リード	50	88～	3.50-10	2PR(41J)	3.50-10	2PR(41J)	TL	MB90	MB90
リード R/SS	50	86～	3.50-10	2PR	3.50-10	2PR	TL	MB90	MB90
ジュリオ	50	98～	3.00-10	42J	3.00-10	42J	TL	MB90	MB90
ジョーカー	50/90	96～	100/90-10	56J	100/90-10	56J	TL	MB90	MB90
ジョルカブ	50	99～	80/100-10	46J	80/100-10	46J	TL	MB90/MB-520	MB90/MB-520
ジョルノ	50	11～	80/100-10	46J	80/100-10	46J	TL	MB90/MB-520	MB90/MB-520
ジョルノ	50	92～	3.00-10	2PR(32J)	3.00-10	2PR(32J)	TL	MB90	MB90
ジョルノ/クレア/デラックス	50	99～	90/90-10	50J	90/90-10	50J	TL	MB65	MB65
クレアスクーパー	50	01～	90/90-10	50J	90/90-10	50J	TL	MB90	MB90
ジャイロ キャノピー	50	08～	100/100-12	62J	130/70-8	42 L	TL	PZ-30	PZ-35
ジャイロ キャノピー	50	99～	4.00-12	65J	130/90-6	53J	WT	PZ-30	PZ-35
ジャイロ キャノピー	50	90～	4.00-12	4PR(65J)	130/90-6	53J	WT	PZ-30	PZ-35
ジャイロ UP/X	50	91～	3.50-10	2PR(41J)	130/90-6	53J	WT	PZ-30	PZ-35
ジャイロ UP/X	50	85～	3.50-10	2PR	5.4-6	4PR	WT	PZ-30	PZ-35
ジャイロ X	50	08～	90/100-10	53J	130/70-8	42 L	TL	PZ-30	PZ-35
ジャイロ X	50	83～	3.75-8	2PR	5.4-6	4PR	WT	-	PZ-35
バイト	50	02～	90/90-10	50J	90/90-10	50J	TL	MB65	MB65
トゥデイ	50	02～	80/100-10	46J	80/100-10	46J	TL	MB90/MB-520	MB90/MB-520

■ YAMAHA / ON ROAD

XV1700	1700	06～	130/90-16 M/C	67H	150/80B16 M/C	71H	TL	WF-920HD	WF-920HD
XV1700 ロードスターウォリアー	1700	02～	120/70ZR18 M/C (59W)		200/50ZR17 M/C (75W)		TL	-	-
VMAX	1679	13～	120/70R18 M/C	59V	200/50R18 M/C	76V	TL	-	-
MT-01	1670	05～	120/70ZR17 M/C (58W)		190/50ZR17 M/C (73W)		TL	RMC810	RMC810
VMAX (国内版)	1670	09～	120/70R18 M/C	59V	200/50R18 M/C	76V	TL	-	-
XV1600 ロードスター	1600	99～	130/90-16 M/C	67H	150/80B16 M/C	71H	WT	WF-920HD	WF-920HD
FJR1300AS/A	1300	13～	120/70ZR17 M/C (58W)		180/55ZR17 M/C (73W)		TL	RMC810	RMC810
FJR1300/A/P	1300	01～	120/70ZR17 M/C (58W)		180/55ZR17 M/C (73W)		TL	RMC810	RMC810
ロイヤルスター&ツアークラシック	1300	96～	150/80-16 M/C	71H	150/90-15 M/C	74H	TL	-	WF-920
XJR1300	1300	98～	120/70ZR17 M/C (58W)		180/55ZR17 M/C (73W)		TL	RMC810	RMC810
XJR1200/R	1200	94～	130/70ZR17 M/C (62W)		170/60ZR17 M/C (72W)		TL	-	-
FJ1200(A)	1200	91～	120/70V17 M/C V250 (58V)		150/80V16 M/C V250 (71V)		TL	-	-
VMAX (国内版)	1200	90～	110/90-18 M/C	61H	150/90-15 M/C	74H	TL	-	WF-920
BT1100 ブルドッグ	1100	02～	120/70ZR17 M/C (58W)		170/60ZR17 M/C (72W)		TL	RMC810	-
ドラッグスター 1100	1100	99～	110/90-18 M/C	61S	170/80-15 M/C	77S	WT	-	WF-920
ドラッグスタークラシック	1100	00～	130/90-16 M/C	67S	170/80-15 M/C	77S	WT	WF-920HD	WF-920
XV1100 ビラーゴ	1100	87～	100/90-19 M/C	57H	140/90-15 M/C	70H	TL	-	-
YZF-R1	1000	09～	120/70ZR17 M/C (58W)		190/55ZR17 M/C (75W)		TL	RMC810	RMC810
YZF-R1	1000	98～	120/70ZR17 M/C (58W)		190/50ZR17 M/C (73W)		TL	RMC810	RMC810
FZS1000 フェーザー/FZ1	1000	06～	120/70ZR17 M/C (58W)		190/50ZR17 M/C (73W)		TL	RMC810	RMC810
FZS1000 フェーザー/FZ1	1000	01～	120/70ZR17 M/C (58W)		180/55ZR17 M/C (73W)		TL	RMC810	RMC810

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ				構造	IRC推奨パターン	
			FRONT		REAR			FRONT	REAR
GTS1000	1000	93～	130/60ZR17 M/C (59W)	170/60ZR17 M/C (72W)	TL	-	-		
SCR950	950	17～	100/90-19 M/C 57H	140/80R17 M/C 69H	WT	WF-920	-		
BOLT / C-Spec	950	13～	100/90-19 M/C 57H	150/80B16 M/C 71H	TL	WF-920	-		
XSR900	900	16～	120/70ZR17 M/C (58W)	180/55ZR17 M/C (73W)	TL	RMC810	RMC810		
TDM850	850	96～	110/80ZR18 M/C (58W)	150/70ZR17 M/C (69W)	TL	-	-		
TDM850	850	91～	110/80-18 M/C 58H	150/70-17 M/C 69H	TL	-	RX-02		
TRX850	850	95～	120/60ZR17 M/C (55W)	160/60ZR17 M/C (69W)	TL	RMC810	RMC810		
MT-09 / TRACER	846	14～	120/70ZR17 M/C (58W)	180/55ZR17 M/C (73W)	TL	RMC810	RMC810		
YZF750SP	750	93～	120/70ZR17 M/C (58W)	180/55ZR17 M/C (73W)	TL	RMC810	RMC810		
FZR750R	750	89～	120/70R17 M/C 58H	170/60R17 M/C 72H	TL	RMC810	-		
FZR750	750	87～	120/70R17 M/C 58H	160/60R18 M/C 70H	TL	RMC810	-		
FZX750	750	86～	110/90-16 M/C 59H	140/90-15 M/C 70H	TL	-	-		
FZ750	750	86～	120/80R16 M/C 60H	130/80R18 M/C 66H	TL	-	-		
XV750 ビラーゴ	750	84～	100/90-19 M/C 57H	140/90-15 M/C 70H	TL	-	-		
MT-07	846	14～	120/70ZR17 M/C (58W)	180/55ZR17 M/C (73W)	TL	RMC810	RMC810		
FZ6 / フェーザー	600	05～	120/70ZR17 M/C (58W)	180/55ZR17 M/C (73W)	TL	RMC810	RMC810		
YZF-R6	600	05～	120/70ZR17 M/C (58W)	180/55ZR17 M/C (73W)	TL	RMC810	RMC810		
YZF-R6	600	99～	120/60ZR17 M/C (55W)	180/55ZR17 M/C (73W)	TL	RMC810	RMC810		
FZS600 フェーザー	600	96～	110/70ZR17 M/C (54W)	160/60ZR17 M/C (69W)	TL	RMC810	RMC810		
SRX600	600	90～	110/70R17 M/C 54H	140/70R17 M/C 66H	TL	RMC810	RMC810		
SRX600	600	85～	100/80-18 M/C 53S	120/80-18 M/C 62S	TL	-	RS-310		
SR500	500	85～	3.50S18 4PR	4.00S18 4PR	WT	GS-19(90/100-18)	GS-19(110/90-18)		
DIVERSION	400	91～	110/80-17 M/C 57H	130/70-18 M/C 63H	TL	-	-		
FZR400RR (SP)	400	93～	120/60ZR17 M/C (55W)	160/60ZR17 M/C (69W)	TL	RMC810	RMC810		
FZR400RR (SP)	400	89～	120/60R17 M/C 55H	160/60R17 M/C 69H	TL	RMC810	RMC810		
FZR400 (R)	400	86～	110/70R17 M/C 53H	140/60R18 M/C 64H	TL	RMC810	-		
FZ400	400	97～	110/70R17 M/C 54H	160/60R17 M/C 69H	TL	RMC810	RMC810		
FZ400R / N	400	84～	100/90-16 M/C 54H	120/80-18 M/C 62H	TL	RS-310	RS-310		
XJR400R	400	01～	110/70ZR17 M/C (54W)	150/70ZR17 M/C (69W)	TL	-	-		
XJR400 & S & R & RII	400	93～	110/70-17 M/C 54H	150/70-17 M/C 69H	TL	RX-02	RX-02		
SRX400	400	90～	110/70R17 M/C 54H	140/70R17 M/C 66H	TL	RMC810	RMC810		
SRX400	400	85～	100/80-18 M/C 53S	120/80-18 M/C 62S	TL	-	RS310		
SR400	400	01～	90/100-18 M/C 54S	110/90-18 M/C 61S	WT	GS-19	GS-19		
SR400	400	85～	3.50S18 4PR	4.00S18 4PR	WT	GS-19(90/100-18)	GS-19(110/90-18)		
ドラッグスタークラシック	400	98～	130/90-16 M/C 67S	170/80-15 M/C 77S	WT	WF-920HD	WF-920		
ドラッグスター	400	96～	100/90-19 M/C 57S	170/80-15 M/C 77S	WT	WF-920	WF-920		
RZ350	350	81～	3.00-S18 47S	3.50-S18 4PR	WT	-	-		
RZ350R / RR	350	84～	90/90-18 M/C 51H	110/80-18 M/C 58H	WT	RS-310	RS-310		
XV400 ビラーゴ	400	87～	3.00S19 4PR	140/90-15 M/C 70S	WT	-	WF-910		
YZF-R3	300	15～	110/70-17 M/C 54H	140/70-17 M/C 66H	TL	RX-02	RX-02		
MT-03	300	15～	110/70-17 M/C 54H	140/70-17 M/C 66H	TL	RX-02	RX-02		
YZF-R25	250	14～	110/70-17 M/C 54S	140/70-17 M/C 66S	TL	RX-02	RX-02		
MT-25	250	15～	110/70-17 M/C 54S	140/70-17 M/C 66S	TL	RX-02	RX-02		
XT250X	250	06～	110/70-17 M/C 54S	130/70-17 M/C 62H	WT	RX-02(TL)	RX-02(TL)		
XV250 ビラーゴ	250	87～	3.00S18 4PR	130/90-15 M/C 66P	WT	NF27	NR31		
ドラッグスター	250	01～	80/100-18 M/C 47P	130/90-15 M/C 66P	WT	NF27	NR31		
FZ250 フェーザー	250	86～	100/80-16 M/C 50S	120/80-16 M/C 60S	TL	-	-		
FZR250R	250	89～	100/80-17 M/C 52H	130/70-17 M/C 62H	TL	RX-02	RX-02		
FZR250	250	86～	100/80-17 M/C 52H	120/80-17 M/C 61H	TL	RX-02	RX-02		
R1-Z	250	92～	110/70R17 M/C 54H	140/70R17 M/C 66H	TL	-	-		
R1-Z	250	90～	110/70-17 M/C 54H	140/70-17 M/C 66H	TL	RX-02	RX-02		
RZ250R	250	88～	100/80-17 M/C 52H	120/80-17 M/C 61H	TL	RX-02	RX-02		
RZ250R	250	84～	90/90-18 M/C 51H	110/80-18 M/C 58H	TL	RS-310	RS-310		
RZ250	250	80～	3.00-S18 47S	3.50-S18 4PR	WT	-	-		
SRX250	250	90～	90/80-17 M/C 46S	110/80-17 M/C 57S	TL	-	-		
SRX250 (F)	250	84～	90/90-16 M/C 48S	100/90-18 M/C 56S	TL	-	-		
TZR250R / RS / R-SP / SPR	250	91～	110/70R17 M/C 54H	150/60R17 M/C 66H	TL	-	-		
TZR250 SP	250	90～	110/70R17 M/C 54H	150/60R18 M/C 67H	TL	-	-		
TZR250	250	89～	110/70R17 M/C 54H	140/60R18 M/C 64H	TL	-	-		
TZR250	250	85～	100/80-17 M/C 52H	120/80-17 M/C 61H	TL	RX-02	RX-02		
FZX250 ジーブル	250	91～	110/70-17 M/C 54H	140/70-17 M/C 66H	TL	RX-02	RX-02		
ルネッサ	250	96～	90/90-18 M/C 51S	110/90-18 M/C 61S	WT	RS-310	RS-310		
SRV250	250	92～	90/90-18 M/C 51S	110/90-18 M/C 61S	WT	GS-19	GS-19		
WR250X	250	08～	110/70R17 M/C 54H	140/70R17 M/C 66H	TL	-	-		
SDR200A	200	87～	90/80-17 M/C 46S	110/80-17 M/C 57S	TL	-	-		
RZ125	125	85～	80/100-16 M/C 45P	90/90-18 M/C 51P	WT	-	-		
TZR125	125	89～	90/80-17 M/C 46S	100/90-18 M/C 56S	TL	-	-		
TZR125	125	87～	90/90-16 M/C 48P	100/90-18 M/C 56P	WT	-	-		
SR125	125	81～	3.00-17 45P	3.50-16 52P	WT	NF8	NR21		
RZ50	50	98～	70/100-17 M/C 40P	80/90-17 M/C 44P	WT	NF37	NR41		

TOUR
SPORT
STANDARD
エコーカー
&ニューカー
TUBE
IRC GOODS
インチ単位
車種適合表
よくあるトラブル

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ				構造	IRC推奨パターン	
			FRONT		REAR			FRONT	REAR
TZR50	50	90～	80/90-16 M/C	43P	90/90-17 M/C	49P	TL	-	-
■ YAMAHA / OFF ROAD									
XT400E (アルテシア)	400	91～	90/90-21 M/C	54S	120/90-17 M/C	64S	WT	-	-
WR250R	250	08～	80/100-21 M/C	51P	120/80-18 M/C	62P	WT	GP-21	GP-22
XG250 トリッカー	250	04～	80/100-19 M/C	49P	120/90-16 M/C	63P	WT	GP-210	GP-210
TT250R / TT250R レイド	250	94～	3.00-21	51P	4.60-18	63P	WT	GP-21	GP-22
TDR250	250	88～	100/90-18 M/C	56H	120/80-17 M/C	61H	WT	-	-
TY250 スコティッシュ	250	93～	2.75-21	4PR(45P)	4.00-18	4PR(64P)	WT/TL	TR-011	TR-011
DT230 ランツァ	230	96～	3.00-21	51P	4.60-18	63P	WT	GP-21	GP-22
セロー 250	250	05～	2.75-21	45P	120/80-18 M/C	62P	WT/TL	GP-21	GP-22
セロー 225WE	225	97～	2.75-21	45P	120/80-18 M/C	62P	WT/TL	GP-210	GP-210
セロー 225W	225	86～	2.75-21	4PR	120/80-18 M/C	62P	WT	GP-21	GP-22
ST225 プロンコ	225	97～	2.75-19	43P	120/80-18 M/C	62P	WT	-	GP-22
TW225	225	02～	130/80-18 M/C	66P	180/80-14 M/C	78P	WT	-	-
DT200WR	200	91～	3.00-21	51P	4.60-18	63P	WT	GP-21	GP-22
DT200R	200	88～	3.00-21	4PR	4.60-18	4PR	WT	GP-21	GP-22
DT200R	200	85～	3.00-21	4PR	120/80-18 M/C	62P	WT	GP-21	GP-22
TW200&E	200	87～	130/80-18 M/C	66P	180/80-14 M/C	78P	WT	-	-
DT125R	125	88～	2.75-21	4PR	4.10-18	4PR	WT	GP-21	GP-22
DT50	50	87～	2.50-19	4PR	3.00-17	4PR	WT	GP-1	GP-1
■ YAMAHA / BUSINESS									
YD250	250	86～	3.00-17	4PR	3.25-17	6PR	WT	NF8	-
YD125 (S)	125	89～	3.00-16	4PR	3.00-16	6PR	WT	NF6	NR21
T90N / T90D	90	95～	2.75-14	35P	2.75-14	41P	WT	NF1	NR6
メイト V80D	80	85～	2.25-17	4PR	2.50-17	6PR	WT	NF3	NR6
ニュースメイト V80N	80	88～	2.25-17	4PR	2.50-17	6PR	WT	NF3	NR35
■ YAMAHA / SCOOTER									
TMAX530	530	13～	120/70R15 M/C	56H	160/60R15 M/C	67H	TL	-	-
XP500 T-MAX	500	08～	120/70R15 M/C	56H	160/60R15 M/C	67H	TL	-	-
XP500 T-MAX	500	04～	120/70R14 M/C	55H	160/60R15 M/C	67H	TL	-	-
XP500 T-MAX	500	01～	120/70-14 M/C	55S	150/70-14 M/C	66S	TL	-	-
グランドマジスティ	400	04～	120/80-14 M/C	58S	150/70-13 M/C	64S	TL	SCT-001	SCT-001
マグザム	250	05～	120/70-13 M/C	53P	130/70-13 M/C	63P	TL	SCT-001	SCT-001
マジスティ YP250	250	14～	110/90-13 M/C	55P	140/70-12 M/C	65L	TL	SCT-001	SCT-001
グランドマジスティ	250	04～	120/80-14 M/C	58S	150/70-13 M/C	64S	TL	SCT-001	SCT-001
マジスティ / SV / ABS / C	250	95～	110/90-12	64L	130/70-12	62L	TL	SCT-001	SCT-001
XC150 シグナス GT	150	93～	100/90-10	56J	100/90-10	56J	TL	SCT-001	SCT-001
NMAX155	155	17～	110/70-13 M/C	48P	130/70-13 M/C	57P	TL	SCT-001	SCT-001
TRICITY155	155	17～	90/80-14 M/C	43P	110/90-12 M/C	64L	TL	SCT-001	SCT-001
NMAX125	125	16～	110/70-13 M/C	48P	130/70-13 M/C	57P	TL	SCT-001	SCT-001
TRICITY125	125	14～	90/80-14 M/C	43P	110/90-12 M/C	64L	TL	SCT-001	SCT-001
シグナス X / SR	125	04～	110/70-12	47L	120/70-12	51L	TL	SCT-001	SCT-001
XC125 シグナス	125	88～	100/90-10	56J	100/90-10	56J	TL	MB-520	MB-520
XC125 シグナス / 125si / 125sv	125	84～	3.50-10	51J	3.50-10	51J	TL	MB-520	MB520
マジスティ S	155	13～	120/70-13 M/C	53P	130/70-13 M/C	57P	TL	SCT-001	SCT-001
マジスティ 125 (輸入車)	125	04～	120/70-12	51J	130/70-12	56L	TL	SCT-001	SCT-001
アクシストリート	125	09～	3.50-10	51J	3.50-10	51J	TL	MB-520	MB-520
グランドアクシス	100	98～	110/70-12	47J	120/70-12	51J	TL	SCT-001	SCT-001
アクシス 90	90	90～	90/90-10	40J	90/90-10	50J	TL	MB-520	MB-520
ニュージョグスポーツ 90	90	90～	80/90-10	34J	80/90-10	34J	TL	MB-520	MB-520
YSR80	80	86～	3.50-12	2PR	4.00-12	4PR	TL	-	-
TDR80	80	88～	100/90-12	48J	100/90-12	48J	TL	MB99	MB99
ジョグスポーツ 80	80	88～	3.00-10	2PR	3.00-10	2PR	WT	MB38	MB38
EC-03	-	10～	60/100-12	36J	60/100-12	36J	WT	MB80	MB80
VOX	50	06～	120/90-10	57J	120/90-10	57J	TL	MB99 DUAL	MB99 DUAL
BW'S(ビーウィズ)	50	11～	120/90-10	57J	120/90-10	57J	TL	MB99 DUAL	MB99 DUAL
BW'S(ビーウィズ)	50	98～	120/90-10	57J	130/90-10	61J	TL	MB99 DUAL	MB99 DUAL
TZM50R	50	94～	100/90-12	48J	120/80-12	54J	TL	MBR-750	MBR-750
TDR50	50	88～	100/90-12	48J	100/90-12	48J	TL	MB99	MB99
BA50 ギア	50	94～	90/90-12	44J	110/90-10	51J	TL	MB58	MB57
ギアC	50	04～	90/90-12	44J	110/90-10	51J	TL	MB58	MB57
アクシス	50	90～	90/90-10	40J	90/90-10	40J	TL	MB90	MB90
アクティブ	50	85～	3.00-10	2PR	3.00-10	2PR	TL	MB90	MB90
ボクソン	50	85～	3.00-10	2PR	3.00-10	2PR	WT	MB90	MB90
チャンプ CX	50	88～	3.00-10	2PR	90/90-10	40J	TL	MB90	MB90
チャンプ 50RS	50	86～	3.00-10	2PR	3.00-10	2PR	WT	MB90	MB90
チャンプスペシャル	50	86～	3.00-8	2PR	2.75-10	2PR	WT	MB38	MB38
チャンプ 50	50	86～	3.00-8	2PR	2.75-10	2PR	WT	MB38	MB38
エクセル	50	86～	2.75-10	2PR	2.75-10	2PR	WT	MB38	MB38
スーパージョグ Z (ZR)	50	93～	90/90-10	40J	90/90-10	40J	TL	MB90	MB90

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ				構造	IRC推奨パターン	
			FRONT		REAR			FRONT	REAR
JOG / デラックス / ブチ / ZR	50	15 ~	90/90-10	41J	90/90-10	41J	TL	MB90 / MB-520	MB90 / MB-520
ジョグアブリオ / ナチュラル	50	95 ~	80/90-10	34J	80/90-10	34J	TL	MB90	MB90
ジョグアブリオタイプII	50	95 ~	90/90-10	40J	90/90-10	40J	TL	MB90	MB90
ジョグアブリオ	50	93 ~	80/90-10	34J	80/90-10	34J	TL	MB90	MB90
ジョグZ-II	50	98 ~	90/90-10	40J	90/90-10	40J	TL	MB90	MB90
ジョグZ	50	91 ~	80/90-10	34J	80/90-10	34J	TL	MB90	MB90
ニュージョグ(S / トランク / EX)	50	89 ~	80/90-10	34J	80/90-10	34J	TL	MB90	MB90
ジョグ50 / ボシエ	50	90 ~	80/90-10	35J	80/90-10	35J	TL	MB90	MB90
ジョグ50 / C	50	87 ~	3.00-10	32J	3.00-10	32J	WT	MB90	MB90
ジョグCV50 / C	50	01 ~	90/90-10	40J	90/90-10	40J	TL	MB90	MB90
ミント	50	85 ~	3.00-8	2PR	3.00-8	2PR	WT	MB38	MB38
キュートカスタム	50	84 ~	3.00-8	2PR	3.00-8	2PR	WT	MB38	MB38
E-Vino / Vino / デラックス / モルフェ	50	05 ~	90/90-10	41J	90/90-10	41J	TL	MB90	MB90
ビーノ / クラシック	50	97 ~	80/90-10	34J	80/90-10	34J	TL	MB90	MB90
BJ	50	05 ~	90/90-10	41J	90/90-10	41J	TL	MB90	MB90

■ SUZUKI / ON ROAD

ブルバード M109R	1800	06 ~	130/70R18 M/C	63V	240/40R18 M/C	79V	TL	-	-
イントルーダー LC	1500	97 ~	150/80-16 M/C	71H	180/70-15 M/C	76H	TL	-	-
GSX1400	1400	01 ~	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810	RMC810
GSX1300 ハヤブサ	1300	99 ~	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810	RMC810
バンディッド 1250S/1250F ABS	1250	07 ~	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
イナズマ 1200	1200	98 ~	120/70ZR17 M/C	(58W)	170/60ZR17 M/C	(72W)	TL	RMC810	-
バンディッド 1200 (S)	1200	00 ~	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
GS1200SS	1200	01 ~	120/70ZR17 M/C	(58W)	170/60ZR17 M/C	(72W)	TL	RMC810	-
GSF1200 & S & S-ABS	1200	95 ~	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
GSX1100 カタナ	1100	94 ~	3.50-19	57V	4.50-17	67V	WT	-	-
GSX-R1100	1100	01 ~	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
GSX-R1100	1100	89 ~	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
V-Strom 1000 ABS	1036	14 ~	110/80R19 M/C	59V	150/70R17 M/C	69V	TL	-	-
GSX-S1000 ABS / F	1000	15 ~	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810	RMC810
GSX-R1000	1000	01 ~	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810	RMC810
SV1000 / S	1000	04 ~	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
TL1000R	1000	98 ~	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810	RMC810
TL1000S	1000	96 ~	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810	RMC810
RF900R	900	94 ~	120/70ZR17 M/C	(58W)	170/60ZR17 M/C	(72W)	TL	RMC810	-
ブルバード 800	800	05 ~	130/90-16 M/C	67H	170/80-15 M/C	77H	TL	GS-23	GS-23
イントルーダー 800	800	93 ~	80/90-21 M/C	48H	140/90-15 M/C	70H	WT	WF-920	WF-920
イントルーダークラシック	800	01 ~	130/90-16 M/C	67H	170/80-15 M/C	77H	WT	GS-23	GS-23
VX800	800	90 ~	110/80-18 M/C	58H	150/70-17 M/C	69H	TL	-	RX-02
デスペラード 800 & X	800	96 ~	130/90-16 M/C	67H	150/90-15 M/C	74H	TL	WF-920HD	WF-920
GSX-R750	750	04 ~	120/70R17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
GSX-R750	750	95 ~	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810	RMC810
GSX-R750	750	92 ~	120/70ZR17 M/C	(58W)	170/60ZR17 M/C	(72W)	TL	RMC810	-
GSX-R750	750	89 ~	120/70R17 M/C	58H	170/60R17 M/C	72H	TL	RMC810	-
GSX-R750	750	88 ~	120/70R17 M/C	58H	160/60R17 M/C	69H	TL	RMC810	RMC810
GSX-R750SP	750	94 ~	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
GSX-R750R	750	89 ~	130/60R17 M/C	59H	170/60R17 M/C	72H	TL	-	-
GSX-R750R	750	87 ~	110/80R18 M/C	58H	150/70R18 M/C	70H	TL	-	-
GSX-750F	750	98 ~	120/70ZR17 M/C	(58W)	150/70ZR17 M/C	(69W)	TL	RMC810	-
GSX-750F	750	89 ~	110/80-17 M/C	57H	150/70-17 M/C	69H	TL	RX-02	RX-02
GSF750	750	96 ~	120/70ZR17 M/C	(58W)	150/70ZR17 M/C	(69W)	TL	RMC810	-
GS750	750	76 ~	3.25-19	(54H)	4.00-18	(64H)	WT	GS-11	GS-11
GT750	750	71 ~	3.25-19	(54H)	4.00-18	(64H)	WT	GS-11	GS-11
GSR750ABS	750	13 ~	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
V-Storm 650ABS / XT	650	12 ~	110/80R19 M/C	59H	150/70R17 M/C	69H	TL	-	-
GSF650 / S	650	05 ~	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
SV650 & S	650	99 ~	120/60ZR17 M/C	(55W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
GSX-R600	600	96 ~	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
RF600R	600	94 ~	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
バンディッド 600 (S)	600	00 ~	120/60ZR17 M/C	(55W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
GSR600	600	06 ~	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
グラディウス 400/ABS	400	10 ~	120/70ZR17M/C	(58W)	160/60ZR17M/C	(69W)	TL	RMC810	RMC810
GSR400	400	06 ~	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
SV400 & S	400	98 ~	120/60R17 M/C	55H	160/60R17 M/C	69H	TL	RMC810	RMC810
イナズマ	400	97 ~	120/70ZR17 M/C	(58W)	170/60ZR17 M/C	(72W)	TL	RMC810	-
ブルバード 400	400	05 ~	130/90-16 M/C	67H	170/80-15 M/C	77H	TL	GS-23	GS-23
イントルーダー 400	400	95 ~	80/90-21 M/C	48H	140/90-15 M/C	70H	WT	WF-920	WF-920
イントルーダークラシック	400	01 ~	130/90-16 M/C	67H	170/80-15 M/C	77H	WT	GS-23	GS-23
テンプター	400	97 ~	100/90-18 M/C	56S	130/80-17 M/C	65S	WT	GS-19	GS-19
デスペラードワインダー	400	99 ~	100/90-19 M/C	57H	150/90-15 M/C	74H	WT	WF-920	WF-920

TOUR
A
IT WEIGHT
SPORT
STANDARD
エコーンカー
& ツーラーカー
TUBE
IRC 600DS
インチ号見取
車種適合表
& トライアル

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ			構造	IRC推奨パターン		
			FRONT		REAR		FRONT	REAR	
デスベラード&X	400	97～	130/90-16 M/C	67H	150/90-15 M/C	74H	TL	WF-920HD	WF-920
DR-Z400SM	400	05～	120/70R17 M/C	58H	140/70R17 M/C	66H	TL	RMC810	RMC810
インパルス 400	400	04～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
GSX400 インパルス (タイプS)	400	94～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
RF400R	400	93～	120/70R17 M/C	58H	160/60R17 M/C	69H	WT	RMC810	RMC810
バンディッド 400V & VZ	400	95～	110/70R17 M/C	54H	150/60R17 M/C	66H	WT	RMC810	RMC810
バンディッド 400	400	89～	110/70-17 M/C	54H	150/70-17 M/C	69H	WT	RX-02	RX-02
GS400E	400	91～	110/70-17 M/C	54H	130/70-17 M/C	62H	TL	RX-02	RX-02
GSX-400F	400	88～	110/80-17 M/C	57H	140/80-17 M/C	69H	TL	RX-02	-
GSX-R400R (SP)	400	89～	120/60R17 M/C	55H	160/60R17 M/C	69H	TL	RMC810	RMC810
GSX-R400R (SP)	400	89～	120/60R17 M/C	55H	150/60R17 M/C	66H	TL	RMC810	RMC810
GSX-R400	400	88～	110/70R17 M/C	53H	140/60R18 M/C	64H	TL	-	-
GSX-R	400	86～	110/80-17 M/C	57H	140/80-17 M/C	69H	TL	RX-02	-
GSX-400S カタナ	400	92～	100/80-18 M/C	53H	140/70-17 M/C	66H	TL	-	RX-02
サベージ LS400	400	87～	100/90-19 M/C	57H	140/80-15 M/C	67H	WT	GS-18	GS-18
Goose350	350	91～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
V-Strom	250	17～	110/80-17 M/C	57H	140/70-17 M/C	66H	TL	RX-02	RX-02
GSX250R	250	17～	110/80-17 M/C	57H	140/70-17 M/C	66H	TL	RX-02	RX-02
GSR250 / F / S	250	12～	110/80-17 M/C	57H	140/70-17 M/C	66H	TL	RX-02	RX-02
イントルーダー LC250	250	99～	90/90-18 M/C	51P	150/80-15 M/C	70P	WT	GS-21	GS-21
マローダ 250	250	98～	110/90-16 M/C	59P	130/90-15 M/C	66P	WT	-	WF910
Goose250	250	92～	110/70-17 M/C	54H	130/70-17 M/C	62H	TL	RX-02	RX-02
ボルティエー 250 (タイプI・II・C)	250	94～	3.00-18	47S	120/80-17 M/C	61S	WT	-	-
ST250	250	04～	90/90-18 M/C	51S	110/90-18 M/C	61S	WT	GS-19	GS-19
グラストラッカー	250	00～	3.00-18	47S	120/80-17 M/C	61S	WT	-	RX-02(TL)
グラストラッカービッグボーイ	250	01～	100/90-19 M/C	57P	130/80-18 M/C	66P	WT	GS-19	GS-19
SW-1	250	92～	110/80-16 M/C	55S	140/70-15 M/C	64S	TL	-	-
ACROSS	250	90～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
バンディッド 250 & V & VZ	250	95～	110/70R17 M/C	54H	150/60R17 M/C	66H	TL	RMC810	RMC810
バンディッド 250	250	89～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
COBRA	250	89～	110/70-17 M/C	54H	140/60R18 M/C	64H	TL	RX-02	-
GSF250	250	95～	110/70R17 M/C	54H	150/60R17 M/C	66H	TL	-	-
GF250 (S)	250	86～	100/90-16 M/C	54S	120/80-17 M/C	61S	TL	RS-310	RX-02
GSX-R250R	250	89～	110/70R17 M/C	54H	140/60R18 M/C	64H	TL	-	-
GSX-R250	250	87～	100/80-17 M/C	52H	130/70-17 M/C	62H	TL	RX-02	RX-02
GSX250S カタナ	250	91～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
GSX250E カタナ	250	86～	3.60S18	4PR	4.10S18	4PR	TL	-	-
GSX250L	250	86～	90/90-19 M/C	52S	120/90-16 M/C	63S	TL	-	-
GSX250FX	250	02～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
RGV250 Γ	250	90～	110/70R17 M/C	54H	150/60R17 M/C	66H	TL	RMC810	-
RGV250 Γ	250	88～	110/70R17 M/C	54H	140/60R18 M/C	64H	WT	-	-
ウルフ	250	89～	110/70-17 M/C	54H	140/60R18 M/C	64H	TL	RX-02	-
250SB	250	02～	110/70-17 M/C	54H	130/70-17 M/C	62H	WT	RX-02(TL)	RX-02(TL)
パンパン 200	200	02～	130/80-18 M/C	66P	180/80-14 M/C	78P	WT	-	-
ウルフ 200	200	92～	100/80-17 M/C	52S	120/80-17 M/C	61S	TL	RX-02	RX-02
ジグサー	155	17～	100/80-17 M/C	52S	140/60R17 M/C	63H	TL	RX-02	-
GSX-S125	125	17～	90/80-17 M/C	46S	130/70-17 M/C	62S	TL	-	RX-02/RX-03 SpecR
マローダ 125	125	98～	110/90-16 M/C	59P	130/90-15 M/C	66P	WT	-	WF-910
RG125 Γ	125	91～	100/80-17 M/C	52S	120/80-17 M/C	61S	TL	RX-02	RX-02
RG125 Γ	125	87～	80/100-16 M/C	45P	90/90-18 M/C	51P	TL	-	-
ウルフ 125	125	91～	100/80-17 M/C	52S	120/80-17 M/C	61S	TL	-	-
ウルフ 50	50	94～	80/90-17 M/C	44P	90/90-17 M/C	49P	WT	-	-
RG50 Γ	50	95～	80/90-17 M/C	44P	90/90-17 M/C	49P	WT	-	-
GS50	50	05～	70/90-14 M/C	34P	80/90-14 M/C	40P	WT	-	-

■ SUZUKI / OFF ROAD

DL1000V - ストーム	1000	02～	110/80R19 M/C	59H	150/70R17 M/C	69H	TL	-	-
DL650V - ストーム	650	04～	110/80R19 M/C	59H	150/70R17 M/C	69H	TL	-	-
DR-Z400S	400	00～	80/100-21 M/C	51P	120/90-18 M/C	65P	WT	-	-
ジェベル 250	250	92～	80/100-21 M/C	51P	110/90-18 M/C	61P	WT	-	-
ジェベルXC	250	96～	3.00-21	51P	4.60-18	63P	WT	GP-21	GP-22
RMX250S	250	92～	80/100-21 M/C	51P	120/90-18 M/C	65P	WT	-	-
DR250R	250	95～	80/100-21 M/C	51P	4.60-18	63P	WT	GP-21(3.00-21)	GP-22
DR250S	250	92～	80/100-21 M/C	51P	110/90-18 M/C	61P	WT	GP-21(3.00-21)	GP-22(4.60-18)
DR250S / SH / SHE	250	90～	80/100-21 M/C	51P	110/90-18 M/C	61P	WT	GP-21(3.00-21)	GP-22(4.60-18)
ジェベル 200 / DF200E	200	93～	70/100-21 M/C	44P	100/90-18 M/C	56P	WT	GP-21(2.75-21)	GP-22(4.10-18)
SX200R	200	86～	80/80-21 M/C	45P	110/80-18 M/C	58P	WT	GP-21(2.75-21)	GP-22(4.10-18)
TS200R	200	89～	3.00-21	4PR	4.60-18	4PR	WT	GP-21	GP-22
TS125R	125	88～	2.75-21	4PR	4.10-18	4PR	WT	GP-21	GP-22
RA125	125	89～	80/80-21 M/C	45P	110/80-18 M/C	58P	WT	GP-21(2.75-21)	GP-22(4.10-18)

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ				構造	IRC推奨パターン	
			FRONT		REAR			FRONT	REAR
RH125	125	87～	80/80-21 M/C	45P	110/80-18 M/C	58P	WT	GP-21(2.75-21)	GP-22(4.10-18)
ジェベル 125 / DF125E	125	93～	70/100-21 M/C	44P	90/90-18 M/C	51P	WT	-	-
ハスラー 50	50	86～	2.50-21	4PR	3.00-18	4PR	WT	GP-1	GP-1

■ SUZUKI / BUSINESS

K125	125	85～	3.00-16	4PR	3.00-16	4PR	WT	NF6	NR21
K90	90	84～	2.50-17	4PR	2.50-17	6PR	WT	NF6	NR6
4 サイクルバーディー 90	90	01～	2.75-14	35P	2.75-14	41P	TL	NF1	NR6
4 サイクルバーディー 80	80	84～	2.50-17	4PR	2.50-17	6PR	WT	NF6	NR6
ニューバーディー	50	04～	70/90-14 M/C	34P	80/90-14 M/C	40P	WT	NF64	NR79
重荷用バーディー	50	05～	80/90-14 M/C	40P	80/90-14 M/C	40P	TL	NF65	NR79
ニューバーディー新聞仕様	50	04～	80/90-14 M/C	40P	80/90-14 M/C	40P	TL	NF65	NR79
4 サイクルバーディー 50	50	83～	2.25-17	4PR	2.25-17	4PR	WT	NF3	NR6
2 サイクルバーディー 50	50	83～	2.25-17	4PR	2.25-17	4PR	WT	NF3	NR6
RC50	50	90～	2.25-17	4PR	2.25-17	4PR	WT	NF3	NR6
コレダスクランブラー 50	50	96～	2.50-17	38L	2.50-17	38L	WT	NF6	NR6
コレダスポーツ 50	50	96～	2.25-17	33L	2.25-17	33L	WT	NF3	NR6

■ SUZUKI / SCOOTER

スカイウェイブ 650/LX/リミテッド	650	02～	120/70R15 M/C	56H	160/60R14 M/C	65H	TL	-	-
バーグマン 400	400	17～	120/70-15 M/C	56S	150/70-13 M/C	64S	TL	-	SCT-001
スカイウェイブ 400/リミテッド	400	98～	110/90-13 M/C	55P	130/70-13 M/C	57P	TL	SCT-001	SCT-001
スカイウェイブ タイプ S ABS/リミテッド ABS	400	06～	120/80-14 M/C	58S	150/70-13 M/C	64S	TL	SCT-001	SCT-001
ジェンマ	250	08～	120/80-14 M/C	58S	150/70-13 M/C	64S	TL	SCT-001	SCT-001
スカイウェイブタイプ S/タイプ M/SS/リミテッド	250	06～	120/80-14 M/C	58S	150/70-13 M/C	64S	TL	SCT-001	SCT-001
スカイウェイブ/タイプ II	250	98～	110/90-13 M/C	55P	130/70-13 M/C	57P	TL	SCT-001	SCT-001
スカイウェイブ TYPE S	250	06～	120/80-14 M/C	58S	150/70-13 M/C	64S	TL	SCT-001	SCT-001
スカイウェイブ/タイプ II	250	98～	110/90-13 M/C	55P	130/70-13 M/C	57P	TL	SCT-001	SCT-001
バーグマン 200	200	15～	110/90-13 M/C	55P	130/70-12	56L	TL	SCT-001	SCT-001
アヴェニス	125/150	98～	120/80-12	65J	130/80-12	69J	TL	MB62	MB61
ヴェクスター	125/150	98～	3.50-10	51J	3.50-10	51J	TL	MB-520	MB-520
アドレス V125G/S/SS/リミテッド	125	12～	90/90-10	50J	100/90-10	56J	TL	MB-520	MB-520
アドレス V125G/S	125	05～	90/90-10	50J	100/90-10	56J	TL	MB-520	MB-520
ストリートマジック	110	98～	120/70-12	44L	130/70-12	49L	TL	SCT-001	SCT-001
ストリートマジック II 110	110	98～	120/80-12	54J	120/80-12	54J	TL	SS-550 DUAL	SS-550 DUAL
アドレス 110	110	17～	80/90-14 M/C	40P	90/90-14 M/C	46P	TL	SCT-001	SCT-001
アドレス 110	110	98～	90/90-12	44J	100/80-12	56J	TL	MB-58/MB-520	-
アドレス V100	100	91～	3.50-10	51J	3.50-10	51J	TL	MB-520	MB-520
ジェンマクエスト 90	90	86～	3.00-10	4PR	3.00-10	4PR	WT	MB-520	MB-520
e-Let's/w	50	15～	80/90-10	35J	80/90-10	35J	TL	MB-90/MB-520	MB-90/MB-520
アドレス V50	50	06～	80/90-10	35J	80/90-10	35J	TL	MB90	MB90
アドレス	50	88～	2.75-10	2PR	3.00-10	2PR	WT	MB90	MB90
アドレス	50	89～	3.00-10	2PR	3.00-10	2PR	TL	MB90	MB90
アドレス EX	50	90～	3.00-10	2PR	3.00-10	2PR	TL	MB90	MB90
アドレス V	50	90～	3.00-10	2PR	3.00-10	2PR	TL	MB90	MB90
アドレス Vチューン	50	91～	80/90-10	34J	90/90-10	40J	TL	MB90	MB90
薔薇 CY50	50	84～	3.00-8	2PR	3.00-8	2PR	WT	MB38	MB38
ギャグ	50	86～	3.50-10	2PR	3.50-10	2PR	WT	MB90	MB90
HI-UP R	50	89～	80/90-10	34J	90/90-10	40J	TL	MB90	MB90
HI-UP	50	88～	2.75-10	2PR	3.00-10	2PR	WT	MB38	MB90
HI-R	50	87～	80/90-10	34J	80/90-10	34J	WT	MB90	MB90
HI	50	85～	2.75-10	2PR	3.00-10	2PR	WT	MB38	MB90
ジェンマクエスト	50	86～	3.00-10	2PR	3.00-10	2PR	WT	MB90	MB90
カーナ (F3)	50	86～	2.75-10	2PR	2.75-10	2PR	WT	MB38	MB38
蘭カスタム	50	83～	3.00-8	2PR	3.00-8	2PR	WT	MB38	MB38
ランディー	50	85～	3.50-10	2PR	3.50-10	2PR	WT	MB90	MB90
セビア	50	89～	3.00-10	2PR	3.00-10	2PR	TL	MB90	MB90
セビア ZZ / RS	50	90～	80/90-10	34J	90/90-10	40J	TL	MB90	MB90
ZZ	50	00～	100/80-12	56J	110/70-12	47L	TL	MB68	MB68
シュート	50	85～	3.00-10	2PR	3.00-10	2PR	TL	MB90	MB90
PV50	50	93～	3.50-8	4PR	3.50-8	4PR	WT	TG	TG
スーパーモレ	50	94～	2.75-12	2PR	3.00-10	2PR	WT/TL	MB56	MB-520
レッツ 5	50	08～	80/90-10	35J	80/90-10	35J	TL	MB90	MB90
レッツ 4/G/パレット	50	04～	80/90-10	35J	80/90-10	35J	TL	MB90	MB90
レッツ & II S & II G & II L & II	50	96～	3.00-10	32J	3.00-10	32J	TL	MB90	MB90
ストリートマジック II	50	97～	120/80-12	54J	120/80-12	54J	TL	SS-550 DUAL	SS-550 DUAL
ストリートマジック (TR50S)	50	97～	120/70-12	44J	130/70-12	49J	TL	SCT-001	SCT-001
ストリートマジック (TR50)	50	97～	110/80-12	51J	120/80-12	54J	TL	-	SS-550 DUAL
ヴェルデ	50	98～	3.00-10	32J	3.00-10	32J	TL	MB90	MB90
チョイノリ/SS	50	03～	80/90-10	35J	80/90-10	35J	TL	MB90	MB90

TOUR

A

T WEIGHT
SPORT

STANDARD

エコーンカー
& ノーローカー

TUBE

IRC 600DS

インチ号混装

車種適合表
よくわかる
1/17

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ				構造	IRC推奨パターン	
			FRONT		REAR			FRONT	REAR
■ KAWASAKI / ON ROAD									
VN2000	2000	04～	150/80R16 M/C	71V	200/60R16 M/C	79V	TL	-	-
バブルカ 1500 クラシックツアラー 1500	1500	00～	150/80-16 M/C	71H	150/80B16 M/C	71H	TL	-	WF-920HD
バブルカ 1500 クラシックツアラー	1500	98～	150/80-16 M/C	71H	150/80-16 M/C	71H	TL	-	WF-920HD
バブルカ 1500 クラシック FI	1500	01～	130/90-16 M/C	67H	150/80B16 M/C	71H	WT	WF-920HD(TL)	WF-920HD(TL)
バブルカ 1500 クラシック	1500	96～	130/90-16 M/C	67H	150/80-16 M/C	71H	WT	WF-920HD(TL)	WF-920HD(TL)
バブルカ 1500 ドリフター	1500	99～	130/90-16 M/C	67H	150/80-16 M/C	71H	WT	WF-920HD(TL)	WF-920HD(TL)
バブルカ 1500 ミーンストリーク	1500	01～	130/70R17 M/C	62H	170/60R17 M/C	72H	TL	-	-
ZZR1400	1400	06～	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810	RMC810
ZX-12R	1200	00～	120/70ZR17 M/C	(58W)	200/50ZR17 M/C	(75W)	TL	RMC810	-
ZRX1200R, S, DAEG	1200	00～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
ZZ-R1200	1200	02～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
ZRX1100 & II	1100	96～	120/70ZR17 M/C	(58W)	170/60ZR17 M/C	(72W)	TL	RMC810	-
ZZ-R1100 / ZX-11	1100	93～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
ZEPHYR1100RS	1100	95～	120/70-18 M/C	59V	160/70-17 M/C	73V	WT	-	-
ZEPHYR1100	1100	92～	120/70-18 M/C	59V	160/70-17 M/C	73V	TL	-	-
GPZ1100S	1100	94～	120/70ZR17 M/C	(58W)	170/60ZR17 M/C	(72W)	TL	RMC810	-
Z1000	1000	03～	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810	RMC810
ZX-10R	1000	08～	120/70ZR17 M/C	(58W)	190/55ZR17 M/C	(75W)	TL	RMC810	-
Ninja1000/ABS	1000	10～	120/70ZR17 M/C	(58W)	190/55ZR17 M/C	(75W)	TL	RMC810	-
900 スーパー 4 (Z1)	900	72～	3.25-19	(54H)	4.00-18	(64H)	WT	GS-11	GS-11
GPZ900R	900	99～	120/70ZR17 M/C	(58W)	150/70ZR18 M/C	(70W)	TL	RMC810	-
GPZ900R	900	98～	120/70-17 M/C	58V	150/70-18 M/C	70V	TL	-	-
GPZ900R	900	91～	120/70-17 M/C	58H	150/70-18 M/C	70H	TL	RX-02	RX-02
ZX-9R	900	00～	120/70ZR17 M/C	(58W)	190/50ZR17 M/C	(73W)	TL	RMC810	RMC810
ZX-9R	900	94～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
バブルカ 900	900	07～	80/90-21 M/C	48H	180/70-15 M/C	76H	WT	WF-920	-
バブルカ 900 クラシック	900	07～	130/90-16 M/C	67H	180/70-15 M/C	76H	WT	WF-920HD	-
バブルカ 800	800	95～	80/90-21 M/C	48H	140/90-16 M/C	71H	WT	WF-920	WF-920
バブルカ 800 ドリフター	800	99～	130/90-16 M/C	67H	140/90-16 M/C	71H	WT	WF-920HD	WF-920
バブルカ 800 クラシック	800	96～	130/90-16 M/C	67H	140/90-16 M/C	71H	WT	WF-920HD	WF-920
W800	800	11～	100/90-19 M/C	57H	130/80-18 M/C	66H	WT	GS-19	GS-19
Z750 / S	750	07～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
エリミネーター 750	750	86～	100/90-18 M/C	56H	160/80-15 M/C	74H	TL	-	-
GPX750R	750	86～	110/90-16 M/C	59H	140/70-18 M/C	67H	TL	-	-
ZEPHYR750RS	750	95～	120/70-17 M/C	58H	150/70-17 M/C	69H	WT	RX-02(TL)	RX-02(TL)
ZEPHYR750	750	90～	120/70-17 M/C	58H	150/70-17 M/C	69H	TL	RX-02	RX-02
ZR-7	750	99～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
ZXR750R	750	93～	120/70ZR17 M/C	(58W)	180/55ZR17 M/C	(73W)	TL	RMC810	RMC810
ZXR750	750	89～	120/70R17 M/C	58H	170/60R17 M/C	72H	TL	-	-
VZ750 TWIN	750	87～	100/90-19 M/C	57H	150/90-15 M/C	74H	TL	WF-920	WF-920
750RS (Z2)	750	73～	3.25-19	(54H)	4.00-18	(64H)	WT	GS-11	GS-11
Ninja650	650	17～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
Z650	650	17～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
W650	650	99～	100/90-19 M/C	57H	130/80-18 M/C	66H	WT	GS-19	GS-19
650RS (W3)	650	73～	3.25-19	(54H)	4.00-18	(64H)	WT	GS-11	GS-11
W1 スペシャル	650	73～	3.25-19	(54H)	4.00-18	(64H)	WT	GS-11	GS-11
EN-6n	600	06～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
ZX-6R	600	95～	120/60ZR17 M/C	(55W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
ZX-6R	600	97～	120/60ZR17 M/C	(55W)	170/60ZR17 M/C	(72W)	TL	RMC810	-
ZX-6R / RR	600	00～	120/65ZR17 M/C	(56W)	180/55ZR17 M/C	(73W)	TL	-	-
500SS (マッハIII)	500	69～	3.25-19	(54H)	4.00-18	(64H)	WT	GS-11	GS-11
Ninja400	400	13～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
Ninja400R	400	10～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
ER-4N	400	10～	120/70ZR17 M/C	(58W)	160/60ZR17 M/C	(69W)	TL	RMC810	RMC810
XANTHUS	400	92～	110/70R17 M/C	54H	160/60R17 M/C	69H	TL	RMC810	RMC810
W400	400	06～	100/90-19 M/C	57H	130/80-18 M/C	66H	WT	GS-19	GS-19
エリミネーター 400SE	400	88～	100/90-18 M/C	56H	150/80-15 M/C	70H	TL	-	WF-920
エリミネーター 400LX	400	88～	100/90-18 M/C	56H	150/80-15 M/C	70H	WT	-	WF-920(TL)
FX400R	400	85～	100/90-16 M/C	54H	130/90-16 M/C	67H	TL	RS-310	RS-310
GPX400R	400	87～	100/90-16 M/C	54H	130/90-16 M/C	67H	TL	RS-310	RS-310
GPZ400F / F-II	400	85～	100/90-18 M/C	56H	110/90-18 M/C	61H	TL	RS-310	RS-310
GPZ400R	400	87～	100/90-16 M/C	54H	130/90-16 M/C	67H	TL	RS-310	RS-310
GPZ400S	400	86～	100/90-16 M/C	54H	120/90-16 M/C	63H	TL	RS-310	RS-310
バブルカクラシック / ドリフター	400	96～	130/90-16 M/C	67H	140/90-16 M/C	71H	WT	WF-920	WF-920
バブルカ 400	400	95～	80/90-21 M/C	48H	140/90-16 M/C	71H	WT	WF-920	WF-920
バブルカ 400	400	94～	100/90-19 M/C	57S	140/90-15 M/C	70S	WT	WF-920	WF-910
バブルカ 400	400	93～	100/90-19 M/C	57S	140/90-15 M/C	70S	TL	WF-920	RS-310
ZEPHYR X	400	07～	120/70ZR17 M/C	(58W)	150/70ZR17 M/C	(69W)	TL	RMC810	-
ZEPHYR & Kai	400	89～	110/80-17 M/C	57H	140/70-18 M/C	67H	TL	RX-02	RX-02

車種適合表

青色太字：純正装着品

車名	排気量	年式	標準装着タイヤサイズ				構造	IRC 推奨パターン	
			FRONT		REAR			FRONT	REAR
ZEPHYR (Kai)	400	97～	120/70R17 M/C	(58W)	150/70R17 M/C	(69W)	TL	RMC810	RMC810
ZRX (II)	400	98～	110/70R17 M/C	54H	150/60R18 M/C	67H	TL	RMC810	-
ZRX (III)	400	94～	110/80-17 M/C	57H	150/70-18 M/C	70H	TL	RX-02	RX-02
ZX-4	400	89～	110/70R17 M/C	54H	140/60R18 M/C	64H	TL	-	-
ZXR400 (R)	400	89～	120/60R17 M/C	55H	160/60R17 M/C	69H	TL	RMC810	RMC810
ZZ-R400	400	90～	120/60R17 M/C	55H	160/60R17 M/C	69H	TL	RMC810	RMC810
VERSYS-X 250	250	17～	100/90-19 M/C	57S	130/80-17 M/C	65S	WT	GP-210	GP-210
VERSYS-X 250 TOURER	250	17～	100/90-19 M/C	57S	130/80-17 M/C	65S	WT	GP-210	GP-210
バリオス II	250	97～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
バリオス	250	91～	110/70-17 M/C	54H	140/70-17 M/C	66H	TL	RX-02	RX-02
エリミネーター 250SE	250	87～	100/90-17 M/C	55S	140/90-15 M/C	70S	TL	-	RS-310
エリミネーター 250LX	250	87～	100/90-17 M/C	55S	140/90-15 M/C	70S	WT	-	WF-910
エリミネーター 250V	250	98～	120/80-17 M/C	61S	160/80-15 M/C	74S	TL	WF-920	-
D-トラッカー X	250	08～	110/70-17 M/C	54S	130/70-17 M/C	62S	WT	RX-01/RX-02(TL)	RX-01/RX-02(TL)
D-トラッカー	250	98～	110/70-17 M/C	54H	130/70-17 M/C	62H	WT	RX-02(TL)	RX-02(TL)
Ninja250	250	13～	110/70-17 M/C	54S	140/70-17 M/C	66S	TL	RX-02	RX-02
Ninja250R	250	08～	110/70-17 M/C	54S	130/70-17 M/C	62S	TL	RX-02	RX-02
GPX250R-II	250	88～	100/80-16 M/C	50S	130/80-16 M/C	64S	TL	-	-
GPZ250 (ベルト)	250	85～	90/90-18 M/C	51S	110/80-18 M/C	58S	TL	RS-310	RS-310
GPZ250R	250	85～	100/80-16 M/C	50S	120/80-16 M/C	60S	TL	-	-
KR-1 S/R	250	89～	110/70R17 M/C	54H	140/60R18 M/C	64H	TL	-	-
KR250S	250	84～	100/90-16 M/C	54H	110/80-18 M/C	58H	TL	RS-310	RS-310
Z250	250	13～	110/70-17 M/C	54S	140/70-17 M/C	66S	TL	RX-02	RX-02
Z250LTD (ベルト)	250	83～	90/90-19 M/C	52S	120/90-16 M/C	63S	WT	-	RS-310(TL)
ZXR250(R)	250	90～	110/70R17 M/C	54H	140/60R18 M/C	64H	TL	-	-
ZXR250	250	89～	110/70-17 M/C	54H	140/60R18 M/C	64H	TL	RX-02	-
ZZ-R250	250	90～	100/80-17 M/C	52S	140/70-17 M/C	66S	TL	RX-02	RX-02
エストレヤ (RS) (カスタム) (カスタム RS)	250	95～	90/90-18 M/C	51P	110/90-17 M/C	60P	WT	GS-19	GS-19
Z125 PRO	125	16～	100/90-12	49J	120/70-12	51L		-	SCT-001
D-トラッカー 125	125	09～	100/80-14M/C	48P	120/80-14M/C	58P	WT	-	-
エリミネーター 125	125	97～	90/90-17 M/C	49P	130/90-15 M/C	66P	WT	NF53	NR67
AR125S	125	84～	2.75-18	4PR	3.00-18	4PR	WT	NF20	NR21
KSR100	100	06～	100/90-12	49J	100/90-12	49J	TL	SCT-001	SCT-001
KSR110	110	13～	100/90-12	48J	100/90-12	48J	TL	SCT-001	SCT-001
KSR110	110	02～	100/90-12	48J	100/90-12	48J	TL	SCT-001	SCT-001
KSR-II	80	90～	100/90-12	48J	100/90-12	48J	TL	SCT-001	SCT-001
KS-II	80	88～	3.50-10	2PR	3.50-10	2PR	WT	MB3	MB3
AR80 II	80	87～	2.50-18	4PR	2.75-18	4PR	WT	2F(70/100-18)	NR21
AV50	50	86～	2.75-14	4PR	4.00-10	4PR	TL	NF1	MB-510
KSR-II	50	91～	100/90-12	48J	100/90-12	48J	TL	MB99	MB99
KS-II	50	88～	3.50-10	2PR	3.50-10	2PR	WT	MB3	MB3

■ KAWASAKI / OFF ROAD

KLE400	400	91～	90/90-21 M/C	54S	130/80-17 M/C	65S	WT	-	-
KLR250	250	97～	2.75-21	45P	4.10-18	59P	WT	GP-21	GP-22
KLE250 アネーネ	250	93～	3.00-21	51S	120/80-17 M/C	61S	WT	-	-
VERSYS-X250/TOURER	250	17～	100/90-19 M/C	57S	130/80-17 M/C	65S	WT	GP-210	GP-210
KDX250SR	250	91～	80/100-21 M/C	51P	4.60-18	63P	WT	GP-21(3.00-21)	GP-22
KLX250	250	01～	3.00-21	51P	4.60-18	63P	WT	GP-21	GP-22
KLX250SR (ES)	250	93～	3.00-21	51P	4.60-18	63P	WT	GP-21	GP-22
KL250R	250	86～	3.00-21	4PR	4.60-17	4PR	WT	GP-1	GP-1
スーパーシェエルパ	250	97～	2.75-21	45P	4.10-18	59P	WT	GP-21	GP-22
250TR	250	02～	90/90-19 M/C	52P	110/90-18 M/C	61P	WT	-	-
KDX220SR	220	94～	3.00-21	51P	4.60-18	63P	WT	GP-21	GP-22
KDX200SR	200	89～	80/100-21 M/C	51P	100/90-19 M/C	57P	WT	-	-
KMX200	200	87～	3.00-21	4PR	4.60-17	4PR	WT	GP-1	GP-1
KLX125	125	09～	70/100-19M/C	42P	90/100-16M/C	51P	WT	GP-21	GP-22
KDX125SR	125	90～	70/100-21 M/C	44P	4.10-18	4PR	WT	GP-21(2.75-21)	GP-22
KMX125	125	87～	2.75-21	4PR	4.10-18	4PR	WT	GP-21	GP-22

TOURING RADIAL ON ROAD SPORT AMERICAN ON & OFF ROAD ENDURO MOTORCROSS TRIAL & TRAIL SCOOTER LIGHT WEIGHT SPORT STANDARD エコランカー & ツーリング TUBE IRC 600DS インチ単位表

車種適合表
2017/11